





CONTINUOUS OUTCOME

Een publicatie in de **Continuous Everything** reeks



BART DE BEST



DevOps Continuous Outcome Best Practices

Een uitgave in de Continuous Everything reeks

Bart de Best

Onder redactie van
Louis van Hemmen

Colofon

Meer informatie over deze en andere uitgaven kunt u verkrijgen bij:
Leonon Media
(0)572 - 851 104

Algemene vragen : info@leonon.nl
Sales vragen : verkoop@leonon.nl
Manuscript / auteur : redactie@leonon.nl

© 2024 Leonon Media

Omslagontwerp : Eric Coenders, IanusWeb, Nijmegen
Productie : Printforce B.V., Culemborg

Titel : DevOps Continuous Outcome
Sub titel : Een uitgave in de Continuous Everything reeks
Datum : 18 april 2024
Auteur : Bart de Best
Uitgever : Leonon Media
ISBN13 : 978 94 91480 386
Druk : Eerste druk, eerste editie, 18 april 2024

© 2024, Leonon Media

Niets uit deze uitgave mag worden verveelvoudigd en/of openbaar gemaakt door middel van druk, fotokopie, microfilm, of welke andere wijze dan ook, zonder voorafgaande schriftelijke toestemming van de uitgever.

TRADEMARK NOTICES

ArchiMate® and TOGAF® are registered trademarks of The Open Group.

COBIT® is a registered trademark of the Information Systems Audit and Control Association (ISACA) / IT Governance Institute (ITGI).

ITIL® and PRINCE2® are registered trademarks of Axelos Limited.

Scaled Agile Framework and SAFe are registered trademarks of Scaled Agile, Inc.

***"We build our computer (systems)
the way we build our cities:
over time, without a plan, on top of ruins."***

by Ellen Ullma

Inhoudsopgave

1 INTRODUCTIE	1
1.1 DOEL.....	1
1.2 DOELGROEP	1
1.3 ACHTERGROND	1
1.4 STRUCTUUR.....	2
1.5 BIJLAGEN	3
1.6 LEESWIJZER	3
2 BASISCONCEPTEN EN BASISBEGRIPPEN	5
2.1 BASISCONCEPTEN	5
2.2 BASISBEGRIPPEN	7
3 CONTINUOUS OUTCOME DEFINITIE	13
3.1 ACHTERGROND	13
3.2 DEFINITIE.....	13
3.3 TOEPASSING.....	13
4 CONTINUOUS OUTCOME VERANKERING	15
4.1 HET VERANDERPARADIGMA.....	15
4.2 BEELD	16
4.3 MACHTSVERHOUDING.....	18
4.4 ORGANISATIEVORMGEVING.....	20
4.5 RESOURCES	22
5 CONTINUOUS OUTCOME ARCHITECTUUR.....	25
5.1 ARCHITECTUURPRINCIPES	25
5.2 ARCHITECTUURMODELLEN	27
6 CONTINUOUS OUTCOME ONTWERP	37
6.1 CONTINUOUS OUTCOME VALUE STREAM	37
6.2 CONTINUOUS OUTCOME USE CASE DIAGRAM	37
6.3 CONTINUOUS OUTCOME USE CASE	39
7 BUSINESS PLANNING	45
7.1 RELATIE BUSINESS EN ICT	45
7.2 SWOT	47
7.3 BALANCED SCORECARD.....	49
7.4 BUSINESS MODEL CANVAS.....	51
7.5 ROADMAP TO VALUE.....	53
7.6 CONTINUOUS PLANNING MODEL	55
7.7 ARCHIMATE MODEL	57
8 BUSINESS DESIGN	59
8.1 RELATIE BUSINESS EN ICT	59
8.2 CONTINUOUS DESIGN PYRAMID	61
8.3 CONTINUOUS DESIGN PLANNING MODEL	62
8.4 VALUE CHAIN.....	64
8.5 VALUE STREAM	67
8.6 VALUE STREAM CANVAS MODEL	69
8.7 SYSTEM BUILDING BLOCKS MODEL	71
8.8 VALUE STREAM MAPPING	74

8.9 SERVICE PORTFOLIO.....	76
8.10 CONTINUOUS SLA MODEL.....	77
8.11 CONTINUOUS SECURITY PYRAMID MODEL	80
9 BUSINESS TEST	85
9.1 RELATIE BUSINESS EN ICT.....	85
9.2 FAST FEEDBACK MODEL.....	86
9.3 LATE FEEDBACK MODEL	88
9.4 BDD.....	88
10 BUSINESS CODE	93
10.1 RELATIE BUSINESS EN ICT	93
10.2 AI PORTFOLIO	94
10.3 AI PATTERN LIBRARY.....	96
11 BUSINESS DEPLOYMENT	99
11.1 RELATIE BUSINESS EN ICT	99
11.2 CONTINUOUS DEPLOYMENT ROADMAP	100
11.3 CONTINUOUS DEPLOYMENT PATTERNS.....	101
12 BUSINESS RELEASE.....	105
12.1 RELATIE BUSINESS EN ICT	105
12.2 CONTINUOUS RELEASE PATTERNS.....	105
13 BUSINESS MONITOR	109
13.1 RELATIE BUSINESS EN ICT	109
13.2 CONTINUOUS MONITORING GOVERNANCE MODEL	110
13.3 CONTINUOUS MONITORING LAYER MODEL	112
14 BUSINESS LEARN.....	117
14.1 RELATIE BUSINESS EN ICT	117
14.2 CONTINUOUS LEARNING MODEL	119
14.3 I-T-E SHAPED MODEL.....	121
14.4 HIGH PERFORMANCE MODEL	124
15 BUSINESS VALUE SYSTEM	127
15.1 INTRODUCTIE	127
15.2 BUSINESS PLANNING	127
15.3 BUSINESS DESIGN	128
15.4 BUSINESS TEST	129
15.5 BUSINESS CODE.....	130
15.6 BUSINESS DEPLOYMENT.....	131
15.7 BUSINESS RELEASE.....	132
15.8 BUSINESS MONITOR.....	132
15.9 BUSINESS LEARN	133
16 CONTINUOUS OUTCOME ASSESSMENT.....	135
16.1 WAT IS HET CE-MODEL?.....	135
16.2 VOLWASSENHEIDS DIMENSIES.....	138
16.3 DEVOPS CE-MODEL, CO	139
BIJLAGE A, LITERATUURLIJST.....	145
BIJLAGE B, BEGRIPPENLIJST	149

BIJLAGE C, AFKORTINGEN	165
BIJLAGE D, WEBSITES.....	171
BIJLAGE E, INDEX.....	173

Figuren

FIGUUR 1-1, DEVOPS LEMNISCAAT	1
FIGUUR 2-1, BIZDEVOPS LEMNISCAAT	5
FIGUUR 2-2, CE AFGEBEELD OP HET DEVOPS LEMNISCAAT	6
FIGUUR 2-3, VALUE CHAIN OF PORTER, BRON: [BOEK MICHAEL PORTER]	8
FIGUUR 2-4, RECURSIEVE VALUE CHAIN OF PORTER, BRON: [BOEK MICHAEL PORTER]	9
FIGUUR 2-5, RECURSIEVE VALUE CHAIN OF PORTER, BRON: [BOEK MICHAEL PORTER]	9
FIGUUR 2-6, VALUE STREAM MET LEAN INDICATOREN	10
FIGUUR 2-7, BALANCED SCORECARD [KAPLAN 2004]	11
FIGUUR 2-8, ENTERPRISE ARCHITECTURE	12
FIGUUR 2-9, ROADMAP	12
FIGUUR 4-1, VERANDERPARADIGMA	15
FIGUUR 4-2, VERANDERPARADIGMA - BEELDVORMING	16
FIGUUR 4-3, VERANDERPARADIGMA - MACHTSVERHOUDING	18
FIGUUR 4-4, VERANDERPARADIGMA - ORGANISATIE	20
FIGUUR 4-5, VERANDERPARADIGMA - RESOURCES	22
FIGUUR 5-1, VALUE STREAM CANVAS TEMPLATE	27
FIGUUR 5-2, TEMPLATE SYSTEM BUILDING BLOCKS – ALGEMEEN	29
FIGUUR 5-3, TEMPLATE SYSTEM BUILDING BLOCKS – INFORMATIE	30
FIGUUR 5-4, TEMPLATE SYSTEM BUILDING BLOCKS – APPLICATIE	32
FIGUUR 5-5, TEMPLATE SYSTEM BUILDING BLOCKS – TECHNOLOGIE	34
FIGUUR 5-6, DELIVERABLES PER CONTINUOUS OUTCOME STAP	35
FIGUUR 6-1, CONTINUOUS OUTCOME VALUE STREAM	37
FIGUUR 6-2, USE CASE DIAGRAM VOOR HET BVS	38
FIGUUR 6-3, USE CASE DIAGRAM VOOR SVS, DVS EN ISVS	38
FIGUUR 7-1, CONTINUOUS OUTCOME VALUE STREAM	45
FIGUUR 7-2, CONTINUOUS PLANNING	46
FIGUUR 7-3, CONTINUOUS ARCHITECTUUR	46
FIGUUR 7-4, SWOT	48
FIGUUR 7-5, BALANCED SCORECARD [KAPLAN 2004]	50
FIGUUR 7-6, GECASCADEerde BALANCED SCORECARD	51
FIGUUR 7-7, BUSINESS MODEL CANVAS	52
FIGUUR 7-8, ROADMAP TO VALUE, BRON: [LAYTON 2017]	55
FIGUUR 7-9, CONTINUOUS PLANNING MODEL	56
FIGUUR 7-10, ARCHIMATE MODEL	58
FIGUUR 8-1, CONTINUOUS OUTCOME VALUE STREAM	59
FIGUUR 8-2, CONTINUOUS DESIGN	60
FIGUUR 8-3, CONTINUOUS SLA	60
FIGUUR 8-4, CONTINUOUS SECURITY	61
FIGUUR 8-5, CONTINUOUS DESIGN PYRAMID MET DELIVERABLES EN TE BEANTWOORDEN VRAGEN	62
FIGUUR 8-6, CONTINUOUS DESIGN PLANNING MODEL	64
FIGUUR 8-7, VALUE CHAIN OF PORTER, BRON: [BOEK MICHAEL PORTER]	65
FIGUUR 8-8, RECURSIEVE VALUE CHAIN OF PORTER, BRON: [BOEK MICHAEL PORTER]	66
FIGUUR 8-9, RECURSIEVE VALUE CHAIN OF PORTER, BRON: [BOEK MICHAEL PORTER]	67
FIGUUR 8-10, VALUE STREAM	68
FIGUUR 8-11, VALUE STREAM CANVAS TEMPLATE	70
FIGUUR 8-12, TEMPLATE SYSTEM BUILDING BLOCKS – ALGEMEEN	72
FIGUUR 8-13, TEMPLATE SYSTEM BUILDING BLOCKS – INFORMATIE	73
FIGUUR 8-14, VALUE STREAM MAPPING INFORMATIE	75
FIGUUR 8-15, SERVICE PORTFOLIO	77
FIGUUR 8-16, CONTINUOUS SLA MODEL	78

FIGUUR 8-17, CONTINUOUS SECURITY PYRAMID.....	81
FIGUUR 8-18, CONTINUOUS SECURITY PYRAMID AFGEBEELD OP HET DEVOPS LEMNISCAAT.....	81
FIGUUR 8-19, CONTINUOUS SECURITY PYRAMID MET DELIVERABLES EN TE BEANTWOORDEN VRAGEN.....	82
FIGUUR 8-20, CONTINUOUS SECURITY PYRAMID AFGEBEELD OP HET BVS, DVS EN SVS VALUE CHAINS.....	83
FIGUUR 8-21, INFORMATION SECURITY PERSPECTIEVEN.....	83
FIGUUR 9-1, CONTINUOUS OUTCOME VALUE STREAM.....	85
FIGUUR 9-2, CONTINUOUS TESTING.....	85
FIGUUR 9-3, CONTINUOUS ACCEPTANCE.....	86
FIGUUR 9-4, IDEAL TEST PYRAMID.....	87
FIGUUR 9-5, NON-IDEAL TEST PYRAMID.....	88
FIGUUR 10-1, CONTINUOUS OUTCOME VALUE STREAM.....	93
FIGUUR 10-2, CONTINUOUS INTEGRATION.....	94
FIGUUR 10-3, CONTINUOUS AI.....	94
FIGUUR 10-4, AI PORTFOLIO.....	96
FIGUUR 10-5, AI-PATTERN LIBRARY.....	97
FIGUUR 11-1, CONTINUOUS OUTCOME VALUE STREAM.....	99
FIGUUR 11-2, CONTINUOUS DEPLOYMENT.....	99
FIGUUR 11-3, CONTINUOUS DEPLOYMENT ROADMAP.....	101
FIGUUR 12-1, CONTINUOUS OUTCOME VALUE STREAM.....	105
FIGUUR 12-2, CONTINUOUS DEPLOYMENT.....	105
FIGUUR 13-1, CONTINUOUS OUTCOME VALUE STREAM.....	109
FIGUUR 13-2, CONTINUOUS MONITORING.....	110
FIGUUR 13-3, CONTINUOUS MONITORING GOVERNANCE MODEL.....	112
FIGUUR 13-4, CONTINUOUS MONITORING LAYER MODEL.....	114
FIGUUR 14-1, CONTINUOUS OUTCOME VALUE STREAM.....	117
FIGUUR 14-2, CONTINUOUS LEARNING.....	118
FIGUUR 14-3, CONTINUOUS ASSESSMENT.....	118
FIGUUR 14-4, CONTINUOUS AUDITING.....	119
FIGUUR 14-5, CONTINUOUS LEARNING MODEL.....	120
FIGUUR 14-6, I-T-E SHAPED MODEL.....	123
FIGUUR 14-7, HIGH PERFORMANCE MODEL GEBASEERD OP [WESTRUM].....	125
FIGUUR 15-1, DELIVERABLES PER CONTINUOUS OUTCOME STAP.....	127
FIGUUR 16-1, DEVOPS CE-SPIDER MODEL.....	138
FIGUUR 16-2, DEVOPS CO-SPIDER MODEL.....	141

Tabellen

TABEL 1-1, CONTINUOUS EVERYTHING ASPECTEN.....	2
TABEL 1-2, BIJLAGEN.....	3
TABEL 2-1, BUSINESS LEMNISCAAT VERSUS BUSINESS VALUE STREAMS.....	6
TABEL 3-1, VEEL VOORKOMENDE PROBLEMEN BIJ CONTINUOUS OUTCOME.....	14
TABEL 6-1, USE CASE TEMPLATE.....	39
TABEL 6-2, USE CASE VOOR DE CE CO - BVS.....	41
TABEL 6-3, USE CASE VOOR DE CE CO – DVS, SVS EN ISVS.....	44
TABEL 7-1, SWOT.....	48
TABEL 7-2, BUSINESS BALANCED SCORECARD.....	49
TABEL 7-3, BUSINESS MODEL CANVAS.....	52
TABEL 7-4, ROADMAP TO VALUE.....	54
TABEL 7-5, CONTINUOUS PLANNING MODEL.....	56
TABEL 7-6, ARCHIMATE MODEL.....	57
TABEL 8-1, CONTINUOUS DESIGN PYRAMID.....	61

TABEL 8-2, CONTINUOUS DESIGN PLANNING MODEL	63
TABEL 8-3, VALUE CHAIN.	65
TABEL 8-4, VALUE STREAM.	68
TABEL 8-5, VALUE STREAM CANVAS MODEL.....	69
TABEL 8-6, SYSTEM BUILDING BLOCKS MODEL.....	72
TABEL 8-7, VALUE STREAM MAPPING MODEL.....	75
TABEL 8-8, SERVICE PORTFOLIO MODEL.	76
TABEL 8-9, CONTINUOUS SLA MODEL.	78
TABEL 8-10, CONTINUOUS SECURITY PYRAMID MODEL.....	81
TABEL 9-1, FAST FEEDBACK MODEL.	87
TABEL 9-2, BDD MODEL.	89
TABEL 9-3, GHERKIN KEYWORDS.....	90
TABEL 9-4, GHERKIN FEATUREFILE VOORBEELD.....	91
TABEL 10-1, AI PORTFOLIO.....	95
TABEL 10-2, AI PATTERN LIBRARY.....	97
TABEL 11-1, CONTINUOUS DEPLOYMENT ROADMAP.....	100
TABEL 11-2, CONTINUOUS DEPLOYMENT PATTERNS.	102
TABEL 12-1, CONTINUOUS RELEASE PATTERNS.	106
TABEL 13-1, CONTINUOUS MONITORING GOVERNANCE MODEL.....	111
TABEL 13-2, CONTINUOUS MONITORING LAYER MODEL	113
TABEL 14-1, CONTINUOUS LEARNING MODEL.	120
TABEL 14-2, I-T-E MODEL.	122
TABEL 14-3, KARAKTERISTIEKEN EN GEDRAGINGEN BIJ I-T-E SHAPED MENSEN.....	124
TABEL 14-4, HIGH PERFORMANCE MODEL.....	125
TABEL 15-1, BUSINESS PLANNING.	128
TABEL 15-2, BUSINESS DESIGN.....	129
TABEL 15-3, BUSINESS TEST.....	130
TABEL 15-4, BUSINESS CODE.	131
TABEL 15-5, BUSINESS DEPLOYMENT.....	131
TABEL 15-6, BUSINESS RELEASE.....	132
TABEL 15-7, BUSINESS MONITORING.....	133
TABEL 15-8, BUSINESS LEARN.	134
TABEL 16-1, DEVOPS CE-MODEL.	135
TABEL 16-2, CONTINUOUS EVERYTHING.	136
TABEL 16-3, CMMI LEVELS VOOR CONTINUOUS EVERYTHING.....	137
TABEL 16-4, PR-ORG-009. VOLWASSENHEIDSNIVEAUS.	138
TABEL 16-5, CO MATURITY CHARACTERISTICS.....	140

Bijlagen

BIJLAGE A, LITERATUURLIJST	145
BIJLAGE B, BEGRIPPENLIJST	149
BIJLAGE C, AFKORTINGEN	165
BIJLAGE D, WEBSITES	171
BIJLAGE E, INDEX	173

Voorwoord

Dit boek is samengesteld op basis van mijn ervaringen met de integratie van business value streams en Continuous Everything (CE) value streams (BizDevOps). Het CE-aspectgebied Continuous Outcome beschrijft hoe de business kan participeren in de totstandkoming van de informatievoorziening van de business value streams. Voor elk onderdeel van DevOps wordt hiertoe in dit boek een analyse gedaan van de belangrijkste deliverables en hoe die middels een hechte samenwerking van de business met IT (co-creationship) gemaakt kunnen worden. Hierbij wordt steeds de rol van de business en de rol van IT explicet benoemd.

Door deze aanpak kan de business leren hoe de best practices van de CE value streams hergebruikt kunnen worden binnen de business values streams. Zo wordt Continuous Planning gekoppeld aan de planning van de business en wordt Continuous Monitoring gekoppeld aan de monitoring van business value streams. Ook kan de wijze van het op de markt brengen van business services en producten worden verbeterd door de werkwijze van Continuous Delivery in het business domein toe te passen waardoor de time to market verkort wordt. Hiertoe bespreekt dit boek in een apart hoofdstuk het hergebruik van CE best practices in het business domein.

Door de business value streams op deze manier te beschouwen wordt de outcome verbetering nog verder versterkt en biedt BizDevOps dus een meerwaarde ten opzichte van DevOps. ITIL 4 definieert het Service Value System (SVS) als de besturing van de value chain waarin de value streams zijn opgenomen. In analogie kan dit ook voor andere value chains worden gedaan zoals voor software-ontwikkeling (Development Value System - DVS), information security (Information Security Value System - ISVS) en dus ook voor de business (Business Value System – BVS). Deze benadering van de besturing van de value chain en de daarbinnen gedefinieerde value streams biedt een hechte business IT alignment op value system, value chain en value stream niveau over alle domeinen (ontwikkeling, beheer, beveiliging en business). Naast deze horizontale alignment van business en IT biedt de definitie van het BVS ook een verticale alignment binnen de business doordat het BVS de besturing van de value streams versterkt door het onderkennen, definiëren en besturen van de business value chain. Ten slotte levert deze gelijkvormige organisatiestructuur de mogelijkheid om CE best practices op een eenvoudige wijze binnen het BVS toe te passen.

Mede gezien de snelheid waarmee de wereld van DevOps zich ontwikkelt en de behoefte om u met zo min mogelijk tekst zo veel mogelijk inzichten te geven van de integratie van business en CE value streams, heb ik besloten dit boek Agile te houden. Dit houdt in dat het zeer beknopt beschrijft wat belangrijke mogelijkheden zijn voor deze synergetische integratie.

Veel van mijn ervaringen heb ik ook al gedeeld in de artikelen op www.ITpedia.nl. Tevens heb ik de kennis en kunde vertaald naar diverse trainingen die ik verzorg. Deze zijn te vinden op www.dbmetrics.nl.

Hierbij dank ik de volgende personen van harte voor hun inspirerende bijdrage aan dit boek en de fijne samenwerking!

• D. (Dennis) Boersen	Argis IT Consultants
• F. (Freek) de Cloe	smartdocs.com
• J.A.E. (Jane) ten Have	-
• Dr. L.J.G.T. (Louis) van Hemmen	BitAll B.V.
• J.W. (Jan-Willem) Hordijk	Digital Transformation Advisor, Dutch Nordic Sweden
• W. (Willem) Kok	Argis IT Consultants
• M.I. (Mohammed Ismail) Mustapha	NV Haagse Milieu Services
• F (Franklin) Selgert	-
• N (Niels) Talens	www.nielstalens.nl

Ik wens u veel plezier toe bij het lezen van dit boek en vooral veel succes bij het toepassen van Continuous Outcome binnen uw eigen organisatie.

Mocht u vragen of opmerkingen hebben, aarzel dan vooral niet om met mij contact op te nemen. Er is veel tijd besteed om dit boek zo compleet en consistent mogelijk te maken. Mocht u toch tekortkomingen aantreffen, dan zou ik het op prijs stellen als u mij daarvan in kennis stelt, dan kunnen deze zaken in de volgende editie verwerkt worden.

1 Introductie

Leeswijzer:

Dit hoofdstuk beschrijft het doel van dit boek (1.1) de beoogde doelgroep (1.2), de achtergrond van dit boek (1.3), de structuur (1.4) de bijlagen (1.5) ten slotte enkele tips voor het hanteren van dit boek (1.6).

1.1 Doel


De doelstelling van dit boek is om de best practices van CE (DevOps) herbruikbaar te maken voor het business domein. Dit wordt gerealiseerd door per deliverable van elke CE value stream aan te geven hoe de business hierin kan participeren. Vanuit deze participatie is het mogelijk om de business inzichten te geven van het belang voor de business value streams zelf. Een mogelijke vervolgstap is het overnemen van deze best practices in de business value streams. Dit om ten slotte het inzicht te geven dat het voor de business belangrijk is om de besturing van de business value streams ook vanuit een Business Value System (BVS) te laten plaatsvinden. Op die manier wordt een gemeenschappelijke taal gecreëerd waardoor de business outcome (waardecreatie) blijvend kan worden geboost en integratie van het BVS met het Service Value System (SVS), Development Value System (DVS) en het Information Security Management System (ISVS) kan worden gerealiseerd.

1.2 Doelgroep

De doelgroep van dit boek zijn alle betrokken functies van de business teams en de DevOps teams. Dit omvat zowel de marketeers, sales managers, inkopers, productie managers, lijnmanagers van de gebruikersorganisatie en architecten Dev engineers, Ops engineers, Product owners, Scrum masters, Agile Coaches. Ten slotte is er een doelgroep die niet ontwikkelt, gebruikt of beheert maar die vaststelt of de value streams voldoen aan de vereiste criteria zoals wet- en regelgeving. Deze doelgroep omvat kwaliteitsmedewerkers en auditors. Zij kunnen dit boek gebruiken voor het identificeren van gaten in de risicobeheersing, die genomen of beheerst moeten worden.

1.3 Achtergrond

Dit boek beschrijft hoe de business samen kan werken met de DevOps teams door te participeren in de CE value streams. Tevens beschrijft dit boek hoe de CE best practices binnen de business value streams zelf toegepast kunnen worden. Deze integratie leidt tot het concept BizDevOps. Het DevOps Lemniscaat beschrijft de stappen om waarde te creëren. De CE value streams zijn hierop af te beelden. Continuous Outcome is een voorbeeld van een CE value stream. Het DevOps Lemniscaat is weergegeven in [Figuur 1-1](#).



De DevOps Lemniscaat geeft een overzicht van de te doorlopen fasen om software continue voort te brengen om de business value streams te ondersteunen in het verhogen van de outcome. Het DevOps Lemniscaat is daardoor een goede basis voor het definiëren van het concept van Continuous Outcome.

Het CE-concept beschrijft alle fasen van de DevOps Lemniscaat in de vorm van continue uit te voeren activiteiten. In [Tabel 1-1](#) is de relatie weergegeven tussen de stappen van de DevOps Lemniscaat en de Continuous Everything aspectgebieden.

Development		Operations	
1	Continuous Planning (Plan)	5	Continuous Deployment (Deploy)
2	Continuous Design (Design)	6	Continuous Deployment (Release)
3	Continuous Testing (Test)	7	Continuous Monitoring (Monitor)
4	Continuous Integration (Code)	8	Continuous Learning (Learn)

[Tabel 1-1, Continuous Everything aspecten.](#)

Continuous Auditing, Continuous Security, Continuous SLA en Continuous Assessment en zijn niet in de DevOps Lemniscaat weergegeven, net als andere Continuous aspectgebieden zoals Continuous Outcome omwille van de eenvoud van de DevOps Lemniscaat.

Het woord 'Continuous' duidt op het holistisch kijken naar de waardecreatie in elke stap van het DevOps Lemniscaat. De samenwerking van de business met de DevOps engineers is hierbij van cruciaal belang. Deze samenwerking om waarde te creëren wordt ook wel (co-creation) genoemd.

Voor Continuous Outcome duidt het begrip Continuous ook door het cyclisch analyseren van de business en CE value streams door BizDevOps teams om bottlenecks te onderkennen die een negatief effect hebben op de waarde creatie (outcome). Voor deze bottlenecks worden tegenmaatregelen (controls) gedefinieerd die getoetst worden op effectiviteit.

1.4 Structuur

Dit boek beschrijft zowel het BVS als de relatie met het SVS, DVS en ISVS. Voordat BizDevOps wordt besproken, wordt eerst invulling gegeven aan de definities, de verankering en architectuur van Continuous Outcome. Daarna volgt in een aantal hoofdstukken de besprekking van BizDevOps.

1.4.1 Hoofdstuk 2: Basisconcepten en basisbegrippen

Dit hoofdstuk bespreekt de basisconcepten en de basisbegrippen van Continuous Outcome. Tevens worden algemene begrippen beschreven zoals de value chain, value streams en value systems.

1.4.2 Hoofdstuk 3: Continuous Outcome definitie

Het is belangrijk om een gemeenschappelijke definitie te hebben van Continuous Outcome. Daarom wordt er in dit hoofdstuk een definitie gegeven van dit concept en worden de problemen en mogelijke oorzaken van het niet goed van de grond komen van Continuous Outcome besproken.

1.4.3 Hoofdstuk 4: Continuous Outcome verankering

Dit hoofdstuk bespreekt hoe Continuous Outcome verankerd kan worden middels het veranderparadigma. Daarbij worden de volgende vragen beantwoord:

- Wat is de visie op Continuous Outcome (Beeldvorming)?
- Waar liggen de verantwoordelijkheden en bevoegdheden (Machtenverhouding)?
- Hoe kan Continuous Outcome worden toegepast (Organisatievormgeving)?
- Welke profielen van mensen en welke middelen zijn nodig (Resources)?

1.4.4 Hoofdstuk 5: Continuous Outcome architectuur

Dit hoofdstuk beschrijft de architectuurprincipes en -modellen voor Continuous Outcome. De architectuurmodellen betreffen het value stream canvas model en de bouwstenenplaten voor informatie en de infrastructuur.

1.4.5 Hoofdstuk 6: Continuous Outcome ontwerp

Dit hoofdstuk definieert de value streams van Continuous Outcome in de vorm van een use case diagram.

1.4.6 Hoofdstuk 7 tot en met 14

De hoofdstukken 7 tot en met 14 beschrijven elk een stap van het DevOps Lemniscaat, zoals weergegeven is in [Figuur 1-1](#). Per hoofdstuk worden de CE-modellen besproken en wordt aangegeven hoe de business en de DevOps teams hierbij kunnen samenwerken.

1.4.7 Hoofdstuk 15: Business value system

Hoofdstuk 15 beschrijft op welke wijze de best practices van de Continuous Everything value streams in het business domein hergebruikt kunnen worden maar dan volledig in business termen.

1.4.8 Hoofdstuk 16: Continuous Outcome Assessment

Dit hoofdstuk beschrijft hoe de volwassenheid van Continuous Outcome is te meten.

1.5 Bijlagen

De bijlagen bevatten belangrijke informatie die helpt bij het beter begrijpen van Continuous Outcome.

Bijlagen	Onderwerp	Toelichting
A	Literatuurlijst	In dit boek wordt verwezen naar geraadpleegde literatuur in de vorm van: [Auteur Jaar] . In de bijlage zijn de volledige naam van de auteur, de titel en het ISBN-nummer weergegeven.
B	Begrippenlijst	Alleen de belangrijkste concepten worden in deze bijlage uitgelegd.
C	Afkortingen	Binnen de wereld van DevOps worden veel afkortingen gebruikt. Voor de leesbaarheid van dit boek zijn veel gebruikte termen afgekort. De eerste keer dat een afkorting wordt gebruikt is deze voluit geschreven.
D	Websites	Een aantal relevante websites is in deze bijlage opgenomen. In dit boek wordt verwezen naar deze websites door de referentie: [http Name] .
E	Index	De index omvat de verwijzing van termen die in dit boek zijn gehanteerd.

Tabel 1-2, Bijlagen.

1.6 Leeswijzer

In dit boek is het aantal afkortingen beperkt gehouden. Termen die echter steeds terugkomen zijn wel als afkorting weergegeven om de leesbaarheid te vergroten. [Bijlage C](#) geeft deze afkortingen weer.

Bijlagen

Bijlage A, Literatuurlijst

In [Tabel A-1](#) is een overzicht gegeven van boeken die direct of indirect zijn gerelateerd aan DevOps.

Referenties	Publicaties
Best 2011a	B. de Best, "SLA best practices", Leonon Media 2011, ISBN13: 978 90 71501 456.
Best 2011b	B. de Best, "ICT Performance-Indicatoren", Leonon Media 2011, ISBN13: 978 90 71501 470.
Best 2012	B. de Best, "Quality Control & Assurance", Leonon Media 2012, ISBN13: 978 90 71501 531.
Best 2014a	B. de Best, "Acceptatiecriteria", Leonon Media, 2014, ISBN 13: 978 90 71501 784.
Best 2014b	B. de Best, "Agile Service Management met Scrum", Leonon Media, 2014, ISBN13: 978 90 71501 807.
Best 2014c	B. de Best, "Cloud SLA, Leonon Media, 2014 ISBN13: 978 90 71501 739.
Best 2015a	B. de Best, "Agile Service Management met Scrum in de Praktijk", Leonon Media, 2015, ISBN13: 978 90 71501 845.
Best 2017a	B. de Best, "Beheren onder Architectuur", Dutch language, Leonon Media, 2017, ISBN13: 978 90 71501 913.
Best 2017b	B. de Best, "DevOps best practices", English language, Leonon Media, 2017, ISBN13: 978 94 92618 078.
Best 2017c	B. de Best, "SLA Templates", English language, Leonon Media, 2017, ISBN13: 978 94 92618 320.
Best 2019b	B. de Best, "DevOps Architectuur", Dutch language, Leonon Media, 2019, ISBN13: 978 94 92618 061.
Best 2021b	B. de Best, "Basiskennis IT", Dutch language, Leonon Media, 2021, ISBN13: 978 94 92618 573.
Best 2022 CA	B. de Best, "Continuous Auditing", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 542.
Best 2023 CC	B. de Best, "Continuous Acceptance", Dutch language, Leonon Media, 2023, ISBN13: 978 94 91480 317.
Best 2022 CD	B. de Best, "Continuous Deployment", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 511.
Best 2022 CH	B. de Best, "Continuous Architecture", Dutch language, Leonon Media, 2024, ISBN13: 978 94 91480 348.
Best 2022 CI	B. de Best, "Continuous Integration", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 467.
Best 2022 CL	B. de Best, "Continuous Learning", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 528.
Best 2022 CM	B. de Best, "Continuous Monitoring", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 498.
Best 2022 CN	B. de Best, "Continuous Design", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 481.
Best 2024 CO	B. de Best, "Continuous Outcome", Dutch language, Leonon Media, 2024, ISBN13: 978 94 91480 386.
Best 2022 CP	B. de Best, "Continuous Planning", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 504.

Referenties	Publicaties
Best 2023 CQ	B. de Best, "Continuous SLA", Dutch language, Leonon Media, 2023, ISBN13: 978 94 91480 263.
Best 2022 CS	B. de Best, "Continuous Assessment", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 474.
Best 2022 CT	B. de Best, "Continuous Testing", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 450.
Best 2022 CY	B. de Best, "Continuous Security", Dutch language, Leonon Media, 2022, ISBN13: 978 94 91480 171.
Best 2023 CZ	B. de Best, "Continuous AI", Dutch language, Leonon Media, 2023, ISBN13: 978 94 91480 294.
Best 2022a	B. de Best, "Continuous Development", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 641.
Best 2022b	B. de Best, "Continuous Operations", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 658.
Best 2022c	B. de Best, "Continuous Control", Dutch language, Leonon Media, 2022, ISBN13: 978 94 91480 195.
Best 2022d	B. de Best, "Continuous Business", Dutch language, Leonon Media, 2024, ISBN13: 978 94 91480 362
Best 2022e	B. de Best, "Continuous Everything", Dutch language, Leonon Media, 2022, ISBN13: 978 94 92618 597.
Bloom 1956	Benjamin S. Bloom, "Taxonomy of Educational Objectives (1956)", Allyn and Bacon, Boston, MA. Copyright (c) 1984 by Pearson Education.
Boehm	Boehm B. Software Engineering Economics, Prentice Hall, 1981
Caluwé 2011	L. de Caluwé en H. Vermaak, "Leren Veranderen", Kluwer, 2011, tweede druk, ISBN13: 978 90 13016 543.
Davis 2016	Jennifer Davis, Katherine Daniels, "Effective DevOps Building a Culture of Collaboration, Affinity, and Tooling at Scale", O'Reilly Media; 1 edition, ISBN-13: 978 14 91926 307, 2016.
Deming 2000	W. Edwards Deming, "Out of the Crisis. MIT Center for Advanced Engineering Study", 2000, ISBN13: 978 02 62541 152.
Downey 2015	Allen. B. Downey, "Think Python", O'Reilly Media, Inc, Usa; Druk 2, ISBN-13: 978 14 91939 369, 2015.
Galbraith 1992	Galbraith, J.R. "Het ontwerpen van complexe organisaties", 1992, Alphen aan de Rijn: Samson Bedrijfsinformatie.
Humble 2010	Jez Humble, David Farley "Continuous Delivery Reliable Software Releases through Build, Test, and Deployment Automation", Addison-Wesley Professional; 1 edition, ISBN-13: 978 03 21601 919, 2010.
Kim 2014	Gene Kim, Kevin Behr, George Spafford "The Phoenix Project", IT Revolution Press, ISBN-13: 978 09 88262 508, 2014.
Kim 2016	Gene Kim, Jez Humble "The DevOps Handbook: How to Create World-Class Agility, Reliability, and Security in Technology Organizations, Patrick Debois, John Willis", IT Revolution Press, ISBN-13: 978 19 42788 003, 2016.
Kotter 2012	John P. Kotter, "Leading Change", Engels 1e druk, november 2012, ISBN13: 978 14 22186 435.
Kaplan 2004	R. S. Kaplan en D. P. Norton, "Op kop met de Balanced Scorecard", 2004, Harvard Business School Press, ISBN13: 978 90 25423 032.

Referenties	Publicaties
Layton 2017	Mark C. Layton Rachele Maurer, "Agile Project Management for Dummies", tweede druk, John Wiley & Sons Inc, 2017, ISBN13: 978 11 19405 696.
Looijen 2011	M. Looijen, L. van Hemmen, "Beheer van Informatiesystemen", zevende druk, Academic Service, 2011, ISBN13: 978 90 12582 377.
MAES	R. Maes, "Visie op informatiemanagement", www.rikmaes.nl.
McCabe	McCabe T. "A Complexity Measure" in: IEEE Transactions on Software Engineering 1976, vol. 2, nr. 4.
Michael Porter 1998	M.E. Porter 'Competitive Advantage: Creating and Sustaining Superior Performance, Simon & Schuster, 1998, ISBN13: 978 06 84841 465.
Oirsouw 2001	R.R. van Oirsouw, J. Spaanderman, C. van Arendonk, "Informatiseringseconomie", ISBN 90 395 1393 7, 2001.
Scrum	Ken Schwaber and Jeff Sutherland, "The Scrum Guide™", 2017, www.scrumguides.org.
Schwaber 2015	K. Schwaber, "Agile Project Management with Scrum", Microsoft Press, ISBN13: 978 07 35619 937.
Toda 2016	(Luke) Toda, President Strategic Staff Services Corporation and Director of TPS Certificate Institution Nobuyuki Mitsui, CTO of Strategic Staff Services Corporation, "Success with Enterprise DevOps Koichiro" "White Paper", 2016.

Tabel A-1, Literatuurlijst.

Bijlage B, Begrippenlijst

In [Tabel B-1](#) is een begrippenlijst opgenomen. Deze is in het Engels opgesteld omdat zeer veel termen uit de Engelse taal afkomstig zijn en de uitleg makkelijker leest als de hele uitleg in het Engels is opgenomen.

Begrip	Betekenis
5S	Japan's principle of order and cleanliness. These Japanese terms with their Dutch equivalent are: Seiri (整理): Sort Seiton (整頓): Arrange Seisō (清掃): Cleaning Seiketsu (清潔): Standardise Shitsuke (躰): Hold or Systematise [Wiki]
A/B testing	A/B testing means that two versions of an application or webpage are taken into production to see which performs better. Canary releasing can be used, but there are also other ways to perform A/B testing.
Acceptance test	For DevOps engineers the acceptance testcases gives the answer "How do I know when I am done?". For the users the acceptance testcases gives the answer "Did I get what I wanted?". Examples of acceptance testcases are Functional Acceptance Testcases (FAT), User Acceptance Testcases (UAT) and Production Acceptance Testcases (PAT). The FAT and UAT should be expressed in the language of the business.
Affinity	DevOps is about <u>collaboration</u> and affinity. Where collaboration is focused on the relationship between individuals in a DevOps team, affinity goes one step further. This DevOps pillar is about shared organisational goals, empathy and learning between different groups of people by sharing stories and learn from each other.
Agile Infrastructure	Within DevOps both Development and Operations work in an Agile way. This requires an Agile Infrastructure that can be changed with the same pace as the application is changed through the deployment pipeline. A good example of an Agile Infrastructure is the use of Infrastructure as Code.
Alternate path	See <u>happy path</u> .
Andon cord	In the Toyota manufacturing plant, above every work centre a cord is installed. Every worker and manager are trained to pull when something goes wrong; for example, when a part is defective, when a required part is not available, or even when work takes longer than planned. When the Andon cord is pulled, the team leader is alerted and immediately works to resolve the problem. If the problem cannot be resolved within a specified time (e.g., fifty-five seconds), the production line is stopped so that the entire organisation can be mobilised to assist with problem resolution until a successful countermeasure has been developed [Kim 2016] .
Anomaly detection techniques	Not all data that needs to be monitored has a Gaussian (normal) distribution. The anomaly detection techniques make it possible to find noteworthy variances using a variety of methods for data that has no Gaussian distribution. These techniques are either used in monitoring tools or require people with statistical skills.

Begrip	Betekenis
Anti-pattern	An anti-pattern is an example of the wrong interpretation of a <u>pattern</u> . The anti-pattern is often used to explain the value of the <u>pattern</u> .
Antifragility	This is the process of applying stress to increase resilience. This term is introduced by author and risk analyst Nassim Nicholas Taleb.
Artefact	An artefact is a product that is manufactured. Within DevOps the output of the commit phase are binaries, reports and meta data. These products are also referred to as artefacts.
Artefact repository	The central storage of artefacts is called the artefact repository. The artefact repository is used to manage artefacts and their dependencies.
Automated tests	Testcases should be automated as much as possible to reduce waste and to increase velocity and quality of the products that are to be delivered.
Bad apple theory	People that believe in the 'Bad Apple Theory' think that a system is basically safe if it were not for those few unreliable people in it. By removing these people, the system will be safe. This results in the anti DevOps pattern of 'name, blame, shame'.
Bad paths	A 'bad path' is a situation where the application does not follow the 'happy path' or 'the alternate' path. In other words, something goes wrong. This exception must be handled and should be monitorable.
Behavior Driven Development (BDD)	The development of software requires that the users are asked to define the (non) functional requirements. Behavior driven development is based on this concept. The difference however is that the acceptance criteria of these requirements should be written in the customer's expectation of the behavior of the application. This can be accomplished by formulating the acceptance criteria in the <u>Given – When – Then</u> format.
Binary	A compiler is used to transform source code to object code. The object code is also known as a binary. The source code is readable for human being, the object code however is only readable for computers since they have been written in hexadecimals.
Blameless post-mortem	Blameless post-mortem is a term coined by John Allspaw. It helps to examine "mistakes in a way that focuses on the situational aspects of a failure's mechanism and the decision-making process of individuals proximate to the failure." [Kim 2016].
Blamelessness	This approach is about learning rather than punishing. Within DevOps this is one of the basic ideas of learning from mistakes. The energy of the DevOps team is spent on learning from the mistake, rather than on finding the one to blame.
Blue-Green deployment pattern	Blue and green refer to two identical production systems. One is used for the final acceptance of a new release. If this acceptance is successful, then this environment becomes the new production environment. In case of a failure of the production system, the other system can be used instead. This mitigates the risk of downtime since the switchover is likely to be less than a second.
Broken build	A build that fails due to an error in the application source code.
Brown field	There are two scenarios' for applying DevOps best practices: green field and brown field. In case of a green field scenario the whole DevOps organisation has to be established from scratch.

Begrip	Betekenis
	The opposite scenario is where there is already a DevOps organisation, but improvements are needed. The colour green refers to the situation that a factory is built on a clean grass field. The colour brown refers to the situation that a factory is to be built on a place where there has already been a factory that poisoned the ground. In order to build on a brown field, the poison needs to be removed.
Business value	Applying DevOps best practices results in increasing the business value. Research of Puppet Labs (State Of DevOps Report) proofs that high-performing organisations using DevOps practices are outperforming their non-high performing peers in many following areas [Kim 2016].
Canary releasing pattern	Normally a release is offered to every user at once. Canary releasing is the approach in which a small set of users is receiving the new release. If this small scope release works fine than the release can be deployed to all users. The term canary refers to the old habit to have a canary in the coal mines to detect toxic gas.
Change categories	Changes can be categorised into standard changes, normal changes and urgent changes.
Change schedules	Changes can be scheduled in order to defined in which order they have to be applied.
Cloud configuration files	Cloud configuration files are used to initiate a cloud service before using it. In this way cloud service providers enable customers to configure the cloud environment for their needs.
Cluster immune system release pattern	The cluster immune system expands upon the canary release pattern by linking our production monitoring system with our release process and by automating the roll back of code when the user-facing performance of the production system deviates outside of a predefined expected range, such as when the conversion rates for new users drops below our historical norms of 15%–20% [Kim 2016].
Code branch	See branching .
Code review methods	Code review can be performed in several ways like " over the shoulder ", pair-programming , email pass-around and tool-assisted code review .
Codified NFR	A list of Non-Functional Requirements (NFR) that are categorised in categories like availability, capacity, security, continuity et cetera.
Collaboration	One of the four pillars of DevOps is collaboration. Collaboration refers to the way the individuals of a DevOps team works together to achieve the common goal. There are many forms in which this collaboration comes to expression like: <ul style="list-style-type: none"> • peer to peer programming; • demonstrating weekly progress; • documentation; et cetera.
Commit code	Committing code is the action in which the DevOps engineer adds the changed source code to the repository, making these changes part of the head revision of the repository [Wiki].
Commit stage	This is the phase in the CI/CD secure pipeline where the source code is compiled to the object code. This includes the performance of the unit testcases.

Begrip	Betekenis
Compliance checking	The manual action of a security officer to make sure that the system is built in accordance with the agreed standards. This is the opposite of security engineering where the DevOps teams works together with the security officer in order to embed the agreed standards in the deliverables and enable continuous monitoring of the standard in the whole lifecycle of the product.
Compliance officer	The compliance officer is a DevOps role. The compliance officer is responsible for ensuring compliance with agreed standards throughout the whole life cycle of a product.
Configuration management	Configuration Management refers to the process by which all artefacts, and the relationships between them, are stored, retrieved, uniquely identified and modified.
Containers	A container is an isolated structure that is used by DevOps engineers to build their application independently from the underlying operating system or hardware. This is accomplished by interfaces in the container that are used by DevOps engineers. Instead of installing the application in an environment, the complete container is deployed. This saves a lot of dependencies and prevents configuration errors to occur.
Conway's law	The following statement of Melvin Conway is called the Conway's law: "organisations which design systems ... are constrained to produce designs which are copies of the communication structures of these organisations." [Wiki] .
Cultural debt	There are three forms of debt. Cultural debt, technical debt and information debt . This form of debt refers to the decision to keep flaws in the organisation structure, hiring strategy, values et cetera. This debt costs interest and will result in less maturity growth of the DevOps teams. Cultural debt can be recognised by the existence of extensive silos, workflow constraints, miscommunications, waste et cetera.
Culture, Automation Measurement, Sharing (CAMS)	CAMS is the abbreviation for Culture, Automation, Measurement and Sharing. <ul style="list-style-type: none"> • Culture: Culture relates to the people and process aspects of DevOps. Without the right culture, automation attempts will be fruitless. • Automation: Release management, configuration management, and monitoring and control tools should enable automation. • Measurement: 'If you can't measure it, you can't manage it.' & 'If you can't measure it, you can't improve it'. • Sharing: Culture of sharing ideas and problems is critical to help organisations to improve. Creates feedback loop.
Cycle time (flow time)	Cycle time measures more the completion rate or the work capability of a system overall, and a shorter cycle time means that less time is being wasted when a request has been made but no progress or work is getting done.
Cycle time (lean)	The average time between two successive units leaving the work or manufacturing process.
Declarative programming	This is a programming paradigm that expresses the logic of a computation without describing its control flow. An example are the database query languages for example TSQL and PSQL.

Begrip	Betekenis
Defect tracking	Defect tracking is the process of tracking the logged defects in a product from beginning to closure and making new versions of the product that fix the defects [Wiki] .
Development	Development is an activity that is performed by the DevOps role 'DevOps engineer'. A DevOps engineer is responsible for the complete lifecycle of a configuration item. Within DevOps there is no difference anymore between designer, builder or tester.
Development rituals	The Agile Scrum rituals of development are the sprint planning, daily stand-up, sprint execution, review and the retrospective.
Downward spiral	Gene Kim explains in his book [Kim 2016] that the downward spiral in Information Technology (IT) has three acts. <ul style="list-style-type: none"> • The first act begins in IT Operations where technical debt results in jeopardising our most important organisational promises. • The second act starts with compensating the latest broken promise by promising a bigger, bolder feature or an even larger revenue target. As a result, Development is tasked with another urgent project which results in even more technical debt. • The third stage is where the deployments are getting slower and slower, and outages are increasing. The business value continuously decreases.
E-mail pass-around	E-mail pass-around is a review technique where the source code management system emails code to reviewers automatically after the code is checked in [Kim 2016] .
Error path	See happy path .
Fast feedback	Fast feedback refers to the second way of the three ways of Gene Kim. The second way is about having feedback on the functionality and quality of the product that is created or modified as soon as possible in order to maximise the business value.
Feature toggles	A feature toggle is a mechanism that makes it possible to enable or disable a part of the functionality of an application released in production. Feature toggles enables testing the effect of changes on users in production. Feature Toggles are also referred to as Feature Flags, Feature Bits or Feature Flippers.
Feedback	Feedback within the context of DevOps is the mechanism by which errors in the value stream are detected as soon as possible and is used to improve the product and if necessary to improve the value stream as well.
Feedforward	Feedforward within the context of DevOps is the mechanism by which experiences in the present value stream are used to improve the future value stream. Feed forward is the opposite of feedback since feedback is focused on the past and feed forward on the future.
Gaussian distribution	In probability theory, the normal (or Gaussian) distribution is a very common continuous probability distribution. Normal distributions are important in statistics and are often used in the natural and social sciences to represent real-valued random variables whose distributions are not known. A random variable with a Gaussian distribution is said to be normally distributed and is called a normal deviate [Wiki] .

Begrip	Betekenis
Given-When-Then	The Given-When-Then format is used to define acceptance criteria in a way that the stakeholders understand how the functionality actually will work. GIVEN – the fact that... WHEN – I do this... THEN – this happens...
Green field	See brown field.
Hand-off Readiness Review (HRR)	The HRR term is introduced by Google. An HRR is set of safety checks for a critical stage of releasing new services. HRR is performed when a service is transitioned from a developer-managed state to an OPS-managed state (usually months after the LRR). HRR makes service transition easier and more predictable and helps create empathy between upstream and downstream work centers.
Happy path	An application supports a business process by receiving, editing, storing and providing information. The assumed steps in which the information processing is performed is called the happy path. The steps in alternate ways are called the alternate path. In that case, the same result will be achieved via another navigation path. The crawl of the application that causes an error is called an error path.
Holocracy	In this type of organisation all decisions are made through self-organising teams rather than through a traditional management hierarchy.
Horizontal splitting of features	A feature can be splitted into stories. Horizontal splitting refers to the result of a feature splitting in which more DevOps teams must work tightly together. They have to align their work continuously in order to deliver together the feature.
I-shaped, T-shaped, E-shaped	I-shaped, T-shaped, E-shaped are the categories to indicate the knowledge and special skills of a person. An I-shaped person is a pure specialist in one area. The T-shaped person has special skills in one field and broad general knowledge. The E-shaped person has special skills in more than one field and broad general knowledge.
Idempotent	Continuous delivery requires that a component can always be brought fully automatically to the desired status regardless of the component's initial state and regardless of the number of times the component is configured. The characteristic of a component to always be able to get back into the desires is called idempotent.
Imperative programming	This is a <u>programming paradigm</u> that uses statements that change a program's state. Imperative programming focuses on how a program should operate and consists of commands for the computer to perform. Examples are COBOL, C, BASIC et cetera. The term is often used in contrast to <u>declarative programming</u> , which focuses on what the program should accomplish without specifying how the program should achieve the result.
Independent, Negotiable, Valuable, Estimable, Small, and Testable (INVEST)	Independent, Negotiable, Valuable, Estimable, Small, and Testable. <ul style="list-style-type: none"> • Independent: The product backlog item should be self-contained, in a way that there is no inherent dependency on another product backlog item. • Negotiable: Product backlog items, up until they are part of an iteration, can always be changed, rewritten or even discarded. • Valuable: Product backlog item must deliver value to the stakeholders.

Begrip	Betekenis
	<ul style="list-style-type: none"> • Estimable: The size of a product backlog item must always estimable. • Small: Product backlog items should not be so big as to become impossible to plan / task / prioritise with a certain level of certainty. • Testable: The product backlog item or its related description must provide the necessary information to make test development possible.
Information radiators	An Information Radiator is a visual display that a team places in a highly visible location so that all team members can see the latest information at a glance.
Infosec	A team that is responsible for securing systems and data.
Infrastructure as Code (IaC)	Normally infrastructure components have to be configured in order to perform the requested functionality and quality for example a rule set for a firewall or the allowed IP addresses for a network. These configurations normally are stored in configuration files which enable the operators to manage the functionality and the quality of the infrastructure components. Infrastructure as code (IaC) makes it possible to programme these infrastructure component settings and deploy these settings through the CI/CD secure pipeline by the use of machine-readable definition files, rather than physical hardware configuration or interactive configuration tools.
Infrastructure as Code (IaC)	Infrastructure as code (IaC) is a software-based approach to the ICT infrastructure, whereby the systems can be rolled out and adapted in a consistent manner through templates. If a change has to be made, it is implemented in the template which is then rolled out again.
Infrastructure management	Infrastructure management consists of the lifecycle management of all infrastructure products and services in order to support the correct working of the applications that run on top of the infrastructure.
Ji-Kotei-Kanketsu (JKK)	JKK which means 100% completion of an item. This quality way of working means: <ul style="list-style-type: none"> • clear understanding of the goals; • understanding the right way to work; • ensure high quality of work; • getting the work right for 100% completion, never pass defects to the next process; • Definition of Done (DoD) is vital; and then maintaining the required quality without inspections.
Just In Time (JIT)	JIT means building up a stream-lined supply chain with one-piece flow.
Kaizen	<p>Kaizen is Japanese for "improvement". Kaizen is used to improve production systems. The goals of kaizen are:</p> <ul style="list-style-type: none"> • elimination of waste (<u>muda</u>'s); • <u>JIT</u>; • standardisation of production; • cycle of continuous improvements. <p>Continuous improvement means circulate the Plan-Do-Check-Act (PDCA) cycle daily, weekly. This can be accomplished by finding the root cause of a failure by asking "Why" 5 times.</p>

Begrip	Betekenis
	<p>The following steps can be followed:</p> <ul style="list-style-type: none"> • defining problems with supporting data; • making sure everybody recognises the problems clearly; • setting a hypothesis on the problems found; • defining countermeasure actions to verify the hypothesis; • defining countermeasure actions be in daily based activities; • measuring a weekly KPI so people can feel a sense of accomplishment.
Kaizen Blitz (or Improvement Blitz)	A Kaizen Blitz is a rapid improvement workshop designed to produce results / approaches to discrete process issues within a few days. It is a way for teams to carry out structured, but creative problem solving and process improvement, in a workshop environment, over a short timescale.
Kaizen in advance	Kaizen in advance goes one step further than Kaizen. Not only the own activities are improved but also the activities that are performed upstream and that lead to problems downstream. In this way a feedback loop of problems is created which improves the system as a whole.
Kanban	<p>This is system to signal when something is needed. Kanban is a system for managing the logistics production chain. Kanban was developed by Taiichi Ohno, at Toyota, to find a system that made it possible to achieve a high level of production.</p> <p>Kanban is often used for application management. One of the characteristics of Kanban is that it is pull oriented which means that there is not stock of material to be used during the production. Kanban can be used to implement <u>JIT</u> in production systems.</p>
Kata	<p>A kata is any structured way of thinking and acting (pattern of behavior) that is practiced until the pattern becomes a second nature.</p> <p>Four steps can be recognised to accomplish this second nature:</p> <ul style="list-style-type: none"> • direction (target); • current condition (IST situation); • target condition (SOLL situation); • PDCA (Deming wheel). <p>From an architectural viewpoint the migration path might be added to Kata as well. The migration path shows the way to go in order to achieve the SOLL situation.</p>
Kibana dashboards	A Kibana dashboard displays a collection of saved visualisations.
Latent defects	Problems that are not visible yet. Latent defects can be made visible by injecting faults into the system.
Launch Readiness Review (LRR)	The LRR term is introduced by Google. An LRR is a set of safety checks for a critical stage of releasing new services. It is performed and signed off before a service is made publicly available and receive live production traffic. LRR is self-reported by the project teams. LRR is used in the development-managed state.
Launching guidance	To prevent the possibility of problematic, self-managed services going into production and creating organisational risk, launch requirements may be defined that must be met in order for services to interact with real customers and be exposed to real production traffic [Kim 2016].

Begrip	Betekenis
Lead Time (LT)	Lead time is the time from when a request is made to when the final result is delivered, or the customer's point of view on how long something takes to complete.
Lean tools	<ul style="list-style-type: none"> • A3 thinking (problem solving) • Continuous flow (eliminates waste) • <u>Kaizen</u> • <u>Kanban</u> • KPI (Key Performance Indicator) • Plan Do Check Act (PDCA) • Root cause analysis • Specific, Measurable, Accountable, Realistic, Timely (SMART) • <u>Value stream mapping</u> (depict the flow) • <u>JJK</u> (No defects are passed to next process)
Learning culture	<p>A learning culture is a collection of organisational conventions, values, practices and processes. These conventions encourage employees and organisations to develop knowledge and competence.</p> <p>An organisation with a learning culture encourages continuous learning and believes that systems influence each other. Since constant learning elevates an individual as a worker and as a person, it opens opportunities for the establishment to transform continuously for the better.</p>
Light weight ITSM	This variant of Information Technology (IT) Service Management (<u>ITSM</u>) is strictly focused on business continuity with a set of Minimum Required Information (MRIs). The MRI set for each organisation depends on their business.
Logging levels	Within monitoring systems there are several levels of logging recognised: <ul style="list-style-type: none"> • Debug level: Information at this level is about anything that happens in the program, most often used during debugging. • Info level: Information at this level consists of actions that are user-driven or system specific. • Warn level: Information at this level tells us of conditions that could potentially become an error. • Error level: Information at this level focuses on error conditions. • Fatal level: Information at this level tells us when we must terminate.
Loosely coupled architecture	Loosely coupled architectures enables that changes can be made safely and with more autonomy, increasing developer productivity.
Micro service	<p>Microservices are a variant of the service-oriented architecture (SOA) architectural style that structures an application as a collection of loosely coupled services.</p> <p>In a microservices architecture, services should be fine-grained, and the protocols should be lightweight [Wiki].</p>
Micro service architecture	This architecture consists of a collection of services where each service provides a small amount of functionality, and the total functionality of the system is derived from composing multiple versions of a service in production simultaneously and to roll back to a prior version relatively easily.
Mini pipeline	In rare cases more than one deployment pipeline is required in order to produce the entire application. This can be accomplished by the use of a pipeline per application component.

Begrip	Betekenis
	All these components are then assembled in a central pipeline which puts the entire application through acceptance tests, non-functional tests, and then deploys the entire application to testing, staging, and production environments.
Monitoring Framework	A framework of components that together form a monitor facility that is capable to monitor business logic, applications, and operating systems. Events, logs and measures are routed by the event router to destinations [Kim 2016].
Monolithic	A monolithic architecture is the traditional programming model, which means that elements of a software program are interwoven and interdependent. That model contrasts with more recent modular approaches such as a micro service architecture (MSA).
MTTR	Mean Time To Repair (MTTR) is a basic measure of the maintainability of repairable items. It represents the average time required to repair a failed component or device.
Muda	This is a Japanese word for waste. It is used in relationship to production systems.
Non-Functional Requirement (NFR)	NFR are requirements that define the quality of a product like maintainability, manageability, scalability, reliability, testability, deploy ability and security. NFR are also referred to as operational requirements.
Non-Functional Requirement (NFR) testing	NFR testing is the testing aspect that focusses on the quality of the product.
Obeya	Obeya is a war room which serves two purposes: <ul style="list-style-type: none"> • information management; • and on-the-spot decision making.
One piece flow	The Lean approach means that the DevOps team only works at one item at a time as a team with a fast pace and smooth flow. This is also used in the first way of the three ways of Gene Kim.
Operations	Operations is the team often responsible for maintaining the production environment and helping to ensure that required service levels are met [Kim 2016].
Operations stories	The work that has to be done by Ops can be written in stories. In that way that can be prioritised and managed.
OPS liaison	An OPS liaison is an operation employee who is assigned to a development team in order to facilitate the development team for their infrastructural demands.
Organisation archetypes	There are three organisation archetypes: functional, matrix, and market. They are defined by Dr. Roberto Fernandez as follows: <ul style="list-style-type: none"> • Functional: Functional-oriented organisations optimise for expertise, division of labour, or reducing cost. • Matrix: Matrix-oriented organisations attempt to combine functional and market orientation. • Market: Market-oriented organisations optimise for responding quickly to customer needs.
Organisational typology model	This is a model of Dr. Ron Westrum in which he defined three types of culture: 'pathological', 'bureaucratic', 'generative'. These organisation types can be recognised by the following characteristics: <ul style="list-style-type: none"> • Pathological organisations are characterised by large amounts of fear and threat.

Begrip	Betekenis
	<ul style="list-style-type: none"> • Bureaucratic organisations are characterised by rules and processes. • Generative organisations are characterised by actively seeking and sharing information to better enable the organisation to achieve its mission. <p>Dr. Westrum observed that in healthcare organisations, the presence of "generative" cultures was one of the top predictors of patient safety.</p>
Over-the-shoulder	This is a review technique where the author walks through his code while another developer gives feedback.
Packages	A set of individual files or resources which are packed together as a software collection that provides certain functionality as part of a larger system.
Pair-programming	This is review technique where two developers work together using one computer. While one developer writes the code the other reviews it. After one hour they exchange their role.
Peer review	This is a review technique where developers review each other's code.
Post-mortems	After a major incident a post-mortem meeting can be organised in order to find out what the root-cause is of the incident and how to prevent it in the future.
Product owner	The product owner is a DevOps role. The product owner is the internal voice of the business. The product owner is the owner of the product backlog and determines the priority of the product backlog items in order to define the next set of functionalities in the service.
Programming paradigm	A style of building the structure and elements of computer programs.
Pull request process	This is a form of peer review that spans Dev and Ops. It is the mechanism that lets engineers tell others about changes they have pushed to a repository.
Quality Assurance (QA)	Quality Assurance (QA) is the team responsible for ensuring that feedback loops exist to ensure the service functions as desired [Kim 2016].
Reduce batch size	The size of a batch has an influence on the flow. Small batch sizes result in a smooth and fast flow. Large batch sizes result in high Work In Progress (WIP) and increases the level of variability in flow.
Reduce number of handoffs	In terms of a software process a handoff means that the work that is performed in order to produce software is stopped and handed over to another team. Each time the work passes from one team to another team, this requires all sorts of communication using different tools and filling up queues of work. To less handoffs the better.
Release managers	This is a DevOps role. The release manager is responsible for managing and coordinating the production deployment and release processes.
Release patterns	There are two patterns of releases to be recognised [Kim 2016]: <ul style="list-style-type: none"> • Environment-based release patterns: In this pattern there are two or more environments that receive deployments, but only one environment is receiving live customer traffic.

Begrip	Betekenis
	<ul style="list-style-type: none"> Application-based release patterns: In this pattern the application is modified in order to make selectively releases possible and to expose specific application functionality by small configuration changes.
Sad path	A specific type of a ' <u>bad path</u> ' is called a 'sad path'. This is the case if the 'bad path' results in a security-related error condition.
Safety checks	Safety checks are performed during a release of a product. They are typical part of an <u>HRR</u> of an <u>LLR</u> .
SBAR	<p>This technique offers guidelines for making sure concerns or critiques are expressed in a productive manner.</p> <p>In this situation the people who concerns it have to follow the following steps:</p> <ul style="list-style-type: none"> • situational information to describe what is happening; • background information or context; • an assessment of what they believe the problem is; • recommendations for how to proceed.
Security testing	Security testing is one of many types of tests. Within DevOps security testing is integrated in the deployment pipeline by using automated tests as early as possible in the flow.
Self service capability	One way of integrating Ops in Dev is the usage of infrastructure self-services.
Shared goals	Delivering value to the customer requires that Dev and Ops are working together in value streams and have shared goals and practices.
Shared Operations Team (SOT)	A SOT is a team that is responsible for managing all the DTAP environments performing daily deployments into those development and test environments, as well as doing periodically production deployments. The reason to use a SOT is to have a team that focusses only on deployments. This results in automation of repeatable work and learning how to fix occurring problems very fast.
Shared version control repository	In order to be able to use trunk-based development DevOps engineers need to share their source code. The source code must be committed into a <u>single repository</u> that also supports version control. Such a repository is called a shared version control repository.
Simian army	<p>Simian Army consists of services (Monkeys) for generating various kinds of failures, detecting abnormal conditions, and testing the ability to survive them.</p> <p>The goal is to keep the cloud service safe, secure, and highly available. Currently there are 3 Monkeys in the Simian Army:</p> <ul style="list-style-type: none"> • Janitor Monkey (unused resources); • Chaos Monkey (try to shut down a service); • Conformity Monkey (non-conformance to rules).
Single repository	A single repository is used to facilitate trunk-based development.
Smoke testing	<p>Smoke testing is one of the test types that is used to determine whether or not the basics of a new or adjusted service works. Only a few testcases are needed to indicate whether or not at least the most important functions are working properly.</p> <p>This test type origins from the hardware manufacturers where engineers tested circuits by powering on the system and checking for smoke which was an alarm of malfunctioning hardware.</p>

Begrip	Betekenis
Standard deviation	In statistics, the standard deviation (SD, also represented by the Greek letter sigma σ or the Latin letter s) is a measure that is used to quantify the amount of variation or dispersion of a set of data values. A low standard deviation indicates that the data points tend to be close to the mean (also called the expected value) of the set, while a high standard deviation indicates that the data points are spread out over a wider range of values [Wiki].
Standard operations	The standard operations is the situation in which the system performs as designed. Deviations of the standard operations need to be detected as early as possible.
Static analysis	Static analysis is a type of testing that is performed in a non-runtime environment, ideally in the deployment pipeline. Typically, a static analysis tool will inspect program code for all possible runtime behaviours and seek out coding flaws, back doors, and potentially malicious code [Kim 2016].
Swarming	David Bernstein explains how swarming helps to build an effective team which is able to focus and solve complex problems: "When swarming, the whole team works together on the same problem. It helps to know each other and work well together. Generally, groups need to go through the phases of forming (getting to know each other) and storming (having conflicts and resolving them) before they get to performing (being a highly functional team), so give everyone the space to become a team.". <p>According to Dr. Spear, the goal of swarming is to contain problems before they have a chance to spread, and to diagnose and treat the problem so that it cannot recur. "In doing so," he says, "they build ever-deeper knowledge about how to manage the systems for doing our work, converting inevitable up-front ignorance into knowledge." [Kim 2016].</p>
System of Engagement (SoE)	SoE's are decentralised Information Communication Technology (ICT) components that incorporate communication technologies such as social media to encourage and enable peer interaction [What-is].
System of Information (SoI)	The term SOI includes are all the tools that are used to process and visualise information from SoR systems. Typically, examples are Business Intelligence (BI) systems.
System of Records (SoR)	A SoR is an ISRS (information storage and retrieval system), that is the authoritative source for a particular data element in a system containing multiple sources of the same element. <p>To ensure data integrity, there must be one -- and only one -- system of record for a given piece of information [What-is].</p>
Technology adaption curve	It takes time for new technology to get adapted in the market. The technology adaption curve indicates the stages of market penetration in time.
Technology executives	This is a DevOps role also named 'value stream manager'. The value stream manager is someone who is responsible for "ensuring that the value stream meets or exceeds the customer (and organisational) requirements for the overall value stream, from start to finish" [Kim 2016].

Begrip	Betekenis
Test Driven Development (TDD)	Test driven development is the approach in which the source code is written after the completion of the test case definition and execution. The source code is written and adjusted until the test case conditions are met.
Test harness	Software constructed to facilitate integration testing. Where test stubs are typically components of the application under development and are replaced by working components as the application is developed (top-down integration testing), test harnesses are external to the application being tested and simulate services or functionality not available in a test environment.
The Agile Manifesto	The Agile Manifesto (Manifesto for Agile Software Development) was set up during an informal meeting of seventeen software DevOps engineers. This meeting took place from 11 to 13 February 2001 at "The Lodge" in Snowbird, Utah. The charter and the principles formed an elaboration of ideas that had arisen in the mid-nineties, in response to methods traditionally classed as waterfall development models. Those models were experienced as bureaucratic, slow, and narrow-minded and would hinder the creativity and effectiveness of DevOps engineers. The seventeen people who have drawn up the Agile Manifesto together represented the various Agile movements. After the publication of the charter, several signatories set up the "Agile Alliance" to further convert the principles into methods [Wiki] .
The ideal testing automation pyramid	The ideal testing automation pyramid is a way of testing that can be characterised as follows: <ul style="list-style-type: none"> • Most of the errors are found using unit tests as early as possible. • Run faster-running automated tests (e.g., unit tests) before slower-running automated tests (e.g., acceptance and integration tests), which are both run before any manual testing. • Any errors should be found with the fastest possible category of testing.
The Lean movement	An operating philosophy that stresses listening to the customer, tight collaboration between management and production staff, eliminating waste and boosting production flow. Lean is often heralded as manufacturers' best hope for cutting costs and regaining their innovative edge.
The non-ideal testing automation inverted pyramid	The non-ideal testing automation pyramid is a way of testing that can be characterised as follows: <ul style="list-style-type: none"> • Most of the investment is in manual and integration testing. • Errors are found later in the testing. • Slower running automated tests are performed first.
The Simian Army	The Simian Army is a collection of open-source cloud testing tools created by the online video streaming company, Netflix. The tools allow engineers to test the reliability, security, resiliency and recoverability of the cloud services that Netflix runs on Amazon Web Services (AWS) infrastructure [Whatis] . Within this Simian Army the following monkeys are recognised: Chaos Gorilla, Chaos Kong, Conformity Monkey, Doctor Monkey, Janitor Monkey, Latency Monkey and Security Monkey.
The three ways	The three ways are introduced in 'The Phoenix Project: A Novel About IT, DevOps, And Helping Your Business Win' by Gene Kim, Kevin Behr and George Spafford.

Begrip	Betekenis
	<p>The Three Ways are an effective way to frame the processes, procedures and practices of DevOps, as well as the prescriptive steps.</p> <ul style="list-style-type: none"> • The first way – flow understand and increase the flow of work (left to right); • The second way – feedback create short feedback loops that enable continuous improvement (right to left); • The third way – Continuous Experimentation and Learning (continuous learning).
Theory of constraints	This is a methodology for identifying the most important limiting factor that stands in the way of achieving a goal and then systematically improving that constraint until it is no longer the limiting factor.
Tool-assisted code review	This is a review technique where authors and reviewers use specialised tools designed for peer code review or facilities provided by the source code repositories [Kim 2016].
Toyota Kata	Toyota Kata is a management book by Mike Rother. The book explains the Improvement Kata and Coaching Kata, which are a means for making the Continual improvement process as observed at the Toyota Production System teachable [Wiki].
Transformation team	Introducing DevOps requires a defined transformation strategy. Based on their research, Dr. Govindarajan and Dr. Trimble assert that organisations need to create a dedicated transformation team that is able to operate outside of the rest of the organisation that is responsible for daily operations (which they call respectively the “dedicated team” and “performance engine”). The lessons learned from this transformation team can be used to apply in the rest of the organisation.
Value stream	The process required to convert a business hypothesis into a technology-enabled service that delivers value to the customer [Kim 2016].
Value Stream Mapping (VSM)	Value stream mapping is a Lean tool that depicts the flow of information, materials, and work across functional silos with an emphasis on quantifying waste, including time and quality.
Vertical splitting of features	A feature can be splitted into stories. Vertical splitting refers to the result of a feature splitting in which more DevOps teams can work independently on their own stories. Together they realise the feature. See also Horizontal splitting of features.
Virtualised environment	An environment that is based on virtualisation of hardware platforms, storage devices and network resources. In order to create a virtualised environment usually VMware is used.
Visualisation	In computing, virtualisation refers to the act of creating a virtual (rather than actual) version of something, including virtual computer hardware platforms, storage devices, and computer network resources. Virtualisation began in the 1960s, as a method of logically dividing the system resources provided by mainframe computers between different applications. Since then, the meaning of the term has broadened [Wiki].
Walking skeleton	Walking skeleton means doing the smallest possible amount of work to get all the key elements in place.

Begrip	Betekenis
Waste	<p>Waste comprises the activities that are performed in the manufacturing process that are not adding value to the customer. Examples in the context of DevOps are:</p> <ul style="list-style-type: none"> • Unnecessary software features. • Communication delays. • Slow application response times. • Overbearing bureaucratic processes.
Waste reduction	Minimisation of waste at its source is to minimise the quantity required to be treated and disposed of, achieved usually through better product design and/or process management. Also called waste minimisation [Businessdictionary] .
WIP limit	This is a Key Performance Indicator (KPI) that is used in the Kanban process to maximise the number of items that has been started but that is not completed. Limiting the amount of WIP is an excellent way to increase throughput in your software development pipeline.
Work In Progress (WIP)	<p>Material that has entered the production process but is not yet a finished product.</p> <p>Work in progress (WIP) therefore refers to all materials and partly finished products that are at various stages of the production process.</p>

Tabel B-1, Begrippenlijst.

Bijlage C, Afkortingen

Afkorting	Betekenis
%C/A	Percent Complete / Accurate
AFM	Autoriteit Financiële Markten
ASL	Application Services Library
AVG	Algemene Verordening Gegevensbescherming
AWS	Amazon Web Services
BDD	Behavior Driven Development
BI	Business Intelligence
BiSL	Business Information Services Library
BOK	Body of Knowledge
BSC	Balanced ScoreCard
BVS	Business Value System
CA	Competitive Advantage
CAB	Change Advisory Board
CAMS	Culture, Automation, Measurement and Sharing
CE CA	Continuous Auditing
CE CC	Continuous Acceptance
CE CD	Continuous Deployment
CE CE	Continuous Everything
CE CH	Continuous Architecture
CE CI	Continuous Integration
CE CL	Continuous Learning
CE CM	Continuous Monitoring
CE CN	Continuous desigN
CE CO	Continuous Outcome
CE CP	Continuous Planning
CE CS	Continuous aSsessment
CE CT	Continuous Testing
CE CQ	Continuous SLA
CE CY	Continuous Security
CE CZ	Continuous AI
CEM	Central Event Monitor
CEMLI	Configuration, Extension, Modification, Localisation, Integration
CEO	Chief Executive Officer
CFO	Chief Finance Officer
CI	Configuration Item
CIA	Confidentiality, Integrity & Availability
CIO	Chief Information Officer
CMDB	Configuration Management DataBase
CMMI	Capability Maturity Model Integration
CMS	Configuration Management System
CO	Continuous dOcumentation
CoC	Code of Conduct

Afkorting	Betekenis
CoP	Communities of Practice (CoP)
CPU	Central Processing Unit
CR	Competitive Response
CRAMM	CCTA Risk Assessment Method Methodology
CRC	Cyclic Redundancy Check
CTO	Chief Technical Officer
DevOps	Development & Operations
DML	Definitive Media Library
DNS	Domain Name System
DoD	Definition of Done
DoR	Definition of Ready
DTAP	Development, Test, Acceptance and Production
DU	Definitional Uncertainty
DVS	Development Value System
E2E	End-to-End
ERD	Entity Relation Diagram
ERP	Enterprise Resource Planning
ESA	Epic Solution Approach
ESB	Enterprise Service Buss
ETL	Extract Transform & Load
EUX	End User eXperience Monitoring
FAT	Functionele AcceptatieTest
FSA	Feature Solution Approach
GAT	Gebruiker AcceptatieTest
GCC	General Computer Controls
GDPR	General Data Protection Regulation
GIT	Global Information Tracker
GSA	Generieke & Specifieke Acceptatiecriteria
GUI	Graphical User Interface
GWT	Given-When-Then
HRM	Human Resource Management
HRR	Hand-off Readiness Review
IaC	Infrastructure as Code
ICT	Information Communication Technology
ID	Identifier
INVEST	Independent, Negotiable, Valuable, Estimatable, Small and Testable
IPOPS	Information assets, People, Organisation, Products and services, Systems and processes
IR	Infrastructure Risk
ISAE	International Standard On Assurance Engagements
ISMS	Information Security Management System
ISO	Information Standardisation Organisation
ISVS	Information Security Value System
IT	Information Technology

Afkorting	Betekenis
ITIL 4	Information Technology Infrastructure Library 4
ITSM	Information Technology Service Management
JIC	Just In Case
JIT	Just In Time
JKK	Ji-Kotei-Kanketsu
JVM	Java Virtual Machine
KPI	Key Performance Indicator
KSF	Kritieke Succes Factor
LAN	Local Area Network
LCM	LifeCycle Management
LDAP	Lightweight Directory Access Protocol
LRR	Launch Readiness Review
LT	Lead Time
MASR	Modify, Avoid, Share, Retain
MFA	Multi Factor Authentication
MI	Management Information
ML	Machine Learning
MOF	Microsoft Operations Framework
MRI	Minimum Required Information
MT	Module Test
MTBF	Mean Time Between Failure
MTBSI	Mean Time Between System Incidents
MTTR	Mean Time To Repair
MVP	Minimal Viable Product
NC	Non-Conformity
NFR	Non-Functional Requirement
OAWOW	One Agile Way of Working
OLA	Operational Level Agreement
OTAP	Ontwikkel-, Test-, Acceptatie- en Productieomgeving
PAAS	Platform As A Service
PAT	Productie AcceptatieTest
PBI	Productie Backlog Item
PDCA	Plan Do Check Act
PESTLE	Political, Economic, Sociological, Technological, Legislative, Environmental
POR	Project or Organisational Risk
PPT	People, Process & Technology
PST	Performance StressTest
PT	Processing Time
QA	Quality Assurance
QC	Quality Control
RACI	Responsibility, Accountable, Consulted and Informed
RASCI	Responsibility, Accountable, Supporting, Consulted and Informed
RBAC	Role-Based Access Control

Afkorting	Betekenis
REST API	REpresentational State Transfer Application Programming Interface
RL	Reinforcement Learning
RPA	Robotic Process Automation
ROI	Return On Investment
RUM	Real User Monitoring
S-CI	Software Configuration Item
SA	Strategic IS Architecture
SAFe	Scaled Agile Framework
SAT	Security AcceptatieTest
SBAR	Situation, Background, Assessment, Recommendation
SBB	System Building Block
SBB-A	System Building Block Application
SBB-I	System Building Block Information
SBB-T	System Building Block Technology
SIT	Systeemintegratietest
SLA	Service Level Agreement
SM	Strategic Match
SMART	Specific, Measurable, Accountable, Realistic, Timely
SME	Subject Matter Expert
SNMP	Simple Network Management Protocol
SoA	Statement of Applicability
SoE	System of Engagement
SoI	Systems of Information
SoR	System of Records
SoX	Sarbanes Oxley
SQL	Structured Query Language
SRC	Security, Risk and Compliancy
SRG	Standards Rules & Guidelines
SSL	Secure Sockets Layer
ST	Systeemtest
SVS	Service Value System
SWOT	Strength, Weakness, Opportunities, Threats
TCO	Total Cost of Ownership
TCP	Transmission Control Protocol
TDD	Test Driven Development
TFS	Team Foundation Server
TISO	Technical Information Security Officer
TOM	Target Operating Model
TPS	Toyota Production System
TTM	Time To Market
TU	Technical Uncertainty
TVB	Taken, Verantwoordelijkheden en Bevoegdheden
UAT	User Acceptance Test

Afkorting	Betekenis
UML	Unified Modeling Language
UT	Unit Testing
UX design	User eXperience design
VCR	Verwachte Contante ROI
VOIP	Voice over Internet Protocol
VSM	Value Stream Mapping
WAN	Wide Area Network
WIP	Work In Progress
WMI	Windows Management Instrumentation
WoW	Way of Working
XML	eXtensible Markup Language
XP	eXtreme Programming

Tabel C-1, Afkortingen.

Bijlage D, Websites

bigpanda	[Bigpanda]	https://www.bigpanda.io/blog/event-correlation/
BizDevSecOps	[BizDevSecOps]	http://bizdevsecops.co
Continuous Everything NL	[CE NL]	http://www.continouseverything.nl
Continuous Everything UK	[CE UK]	http://www.continouseverything.org
dbmetrics	[dbmetrics]	http://www.dbmetrics.nl
dbmetrics	[dbmetrics publicaties]	https://www.leonon.nl/book/CUSTBestPracticePublications-best-practice-publicitions.html
De Caluwé	[De Caluwé]	https://www.agile4all.nl/het-kleurenmodel-van-de-caluve-en-vermaak/
DevOps	[DevOps]	http://DevOps.com
DDD	[DDD]	https://www.slideshare.net/skillsmatter/ddd-in-agile
doxygen	[doxygen]	http://www.doxygen.nl/manual/docblocks.html
doxygen voorbeeld	[doxygen voorbeeld]	http://www.doxygen.nl/manual/examples/qtstyle/html/class_q_tstyle_test.html#a0525f79cda415a94fedeceb806d2c49
DutchNordicGroup	[DNG]	https://www.dutchnordic.group
EXIN	[Exin]	http://www.exin.nl
ITMG	[ITMG]	http://www.ITMG.nl
ITPedia	[ITPEDIA]	http://www.itpedia.nl
Tiobe	[Tiobe]	www.tiobe.com/content/paperinfo/DefinitionOfConfidenceFactor.html
Wiki	[Wiki]	http://nl.wikipedia.org / wiki / Cloud_computing
Wiki docgen	[Wiki docgen]	https://en.wikipedia.org/wiki/Comparison_of_documentation_generators

Tabel D-1, Websites.

Bijlage E, Index

%

%C/A · 10, 111, 113, 165

A

A/B testing · 136, 149
 acceptatie
 - criterium · 89, 130, 150, 154
 - omgeving · 88, 107
 - test · 88, 107, 149
 account data · 33
 accountability · 19
 accuraatheid · 10, 27, 70
 actor · 39, 40, 42
 affinity · 149
 AFM · 165
 Agile · 90, 137, 149, 162
 - coach · 1
 - design · 136
 - infrastructure · 149
 - proces · 137
 - project · 54
 - werkwijze · 90
 Agile Scrum · 123, 153
 AI
 - pattern framework · 97
 - pattern library · 93, 96, 97, 131
 - portfolio · 93, 94, 95, 96, 130
 - service · 22, 95, 96
 - tool · 22, 23
 Algemene Verordening
 Gegevensbescherming · Zie AVG
 alternate path · 149
 Amazon Web Services · Zie AWS
 analyse instrument · 13
 Andon cord · 149
 anker · 15
 anomaly detection technique · 149
 antifragility · 150
 anti-pattern · 17, 19, 21, 22, 150
 apenrots · 15
 applicatie · 89, 136
 - architectuur · 11, 33, 57
 - beheer · 156
 - component · 157
 - service · 30, 31, 33, 73
 application service monitoring · 114
 Application Services Library · Zie ASL
 Archimate plaat · 40, 42, 57, 58
 architectuur · 2, 11, 15, 54, 56, 79, 135
 - analyse · 79
 - model · 2, 11, 25, 27, 46, 68
 - principe · 2, 11, 25, 56
 - view · 11
 artefact · 37, 38, 150, 152
 artefact repository · 150

ASL · 165
 assessment · 160
 auditing · 136
 auditor · 1
 automated test · 150
 automatiseringstool · 89
 Autoriteit Financiële Markten · Zie AFM
 availability · 151
 AVG · 165
 AWS · 33, 165
 Azure · 33

B

backlog item · 159
 bad apple theory · 150
 bad path · 150
 Balanced ScoreCard · Zie BSC
 base use case · 39
 baseline · 136
 BDD · 21, 41, 43, 62, 85, 87, 88, 89, 90,
 91, 130, 136, 150, 165
 BDD-aanpak · 62
 bedrijfsstrategie · 7, 65
 beeldvorming · 2, 15, 16, 17, 18, 20, 22
 Behavior Driven Development · Zie BDD
 benchmark · 118
 beschikbaarheid · 80, 102, 106
 best practice · 15, 138, 151
 besturingsmodel · 25, 27, 109
 beveiliging · 137
 bevoegdheid · 2, 15
 BI · 165
 binary · 150
 BiSL · 165
 BizDevOps · 1, 2, 5, 6, 13, 14, 19, 20, 25,
 47, 48, 50, 53, 55, 57, 58, 62, 64, 66,
 68, 71, 74, 76, 80, 82, 88, 91, 96, 97,
 101, 103, 107, 112, 115, 121, 124, 126
 blameless post mortem · 136, 150
 blamelessness · 150
 Bloom · 121
 blue/green deployment · 150
 blue/green environment · 136
 blue/green pattern · 103
 Body of Knowledge · Zie BOK
 BOK · 120, 121, 165
 bokitogedrag · 20
 boomstructuur · 14
 bottleneck · 2, 10, 15, 17, 18, 21, 25, 29,
 62, 67, 68, 70, 71, 75, 86, 95, 111, 123,
 124
 bottom-up · 15
 boundary · 10
 bouwsteen · 25, 27, 30, 31, 32, 33, 73, 74
 bouwstenenplaat · 2, 53, 57, 61, 63, 65,
 68, 69, 71, 72
 branch · 87
 branching · 136, 151

- broken build · 136, 150
- brown field · 150
- BSC · 10, 11, 17, 19, 45, 48, 49, 50, 52, 54, 55, 56, 57, 66, 71, 78, 79, 127, 135, 165
- build · 136, 150, 151, 152, 161
- build-in failure mode · 136
- built-in monitoring · 115
- burn-out · 20
- business
 - architectuur · 11
 - case · 5, 13, 15, 27, 40, 42, 53, 54, 56, 57, 70, 71, 76, 79, 95, 97
 - DevOps · 136
 - IT Align · 26
 - lemniscaat · 5, 6, 16
 - model canvas · 45, 48, 49, 51, 52, 53, 54, 56, 127
 - ontwikkeling · 16, 17
 - operations · 16, 17
 - perspectief · 87
 - requirement · 87
 - rule · 31, 73, 74, 139
 - scorecard · 6
 - service monitoring · 113
 - transactie · 33
 - value · 151, 153
 - value stream · 136
- Business Information Services Library · Zie BiSL
- Business Intelligence · Zie BI
- Business Value System · Zie BVS
- BVS · 1, 2, 5, 6, 7, 8, 13, 17, 18, 19, 37, 38, 40, 42, 47, 50, 53, 65, 66, 68, 79, 82, 83, 112, 127, 128, 129, 130, 131, 132, 133, 165
- BVS value stream · 7

C

- C/A · 10, 27, 70
- CA · 165
- CAB · 165
- CAMS · 152, 165
- canary releasing · 106, 136, 151
- capability · 152
- Capability Maturity Model Integration · Zie CMMI
- capaciteit · 151
- CCTA Risk Assessment Method
 - Methodology · Zie CRAMM
- CE · 138, 165
- CE CA · 165
- CE CC · 165
- CE CD · 136, 138, 151, 155, 165
- CE CH · 165
- CE CI · 136, 138, 151, 155, 165
- CE CL · 136, 140, 165
- CE CM · 136, 165
- CE CN · 165
- CE CO · 139, 141, 165
- CE CP · 138, 165
- CE CQ · 165
- CE CS · 165
- CE CT · 165
- CE CY · 165
- CE CZ · 165
- CE value stream · 1, 2, 5, 13, 21, 22, 25, 41, 42, 43, 47, 53, 67, 69, 71, 85, 86, 93, 94, 95, 96, 97, 100, 110, 111, 113, 118, 124, 127, 128, 131
- CE-academie · 22, 23
- CEM · 165
- CEMLI · 165
- CE-model · 127, 135
- Central Event Monitor · Zie CEM
- Central Processing Unit · Zie CPU
- CEO · 165
- certificaat · 33
- CFO · 165
- Change Advisory Board · Zie CAB
- change category · 151
- change schedule · 151
- check-in · 136
- checkpoint · 140
- Chief Executive Officer · Zie CEO
- Chief Finance Officer · Zie CFO
- Chief Information Officer · Zie CIO
- Chief Technology Officer · Zie CTO
- CI · 165
- CI/CD secure pipeline · 21, 42, 80, 87, 100, 124
- CIA · 165
- CIO · 165
- cloud · 151
- cloud configuration file · 151
- cloud service · 151
- cluster immune system release pattern · 151
- CMDB · 165
- CMMI · 135, 137, 138, 139, 165
- CMS · 165
- CO2-reductie · 21
- CoC · 165
- code branch · 151
- Code of Conduct · Zie CoC
- code review form · 151
- codified NFR · 151
- collaboration · 151
- commit code · 151
- commit stage · 151
- Communities of Practice · Zie CoP
- competence · 149, 154
- Competitive Advantage · Zie CA
- Competitive Response · Zie CR
- compleetheid · 10, 27, 70
- Completeness / Accurateness · Zie %C/A
- compliance · 136, 152
- compliance checking · 152
- compliancy · 137, 152
- compliancy officer · 152
- component · 155, 158, 161
- component service monitoring · 115
- concurrent gebruikers · 88
- concurrentievoordeel · 65

confidentiality · 165
 Confidentiality, Integrity & Availability · Zie CIA
 configuratiebeheer · 136
 Configuration Item · Zie CI
 configuration management · 152
 Configuration Management DataBase · Zie CMDB
 Configuration Management System · Zie CMS
 Configuration, Extention, Modification, Localisation, Integration · Zie CEMLI
 constructiefout · 11
 container · 152
 context · 53
 continuity · 151, 157
 continuous

- acceptance · 3, 86
- AI · 94
- architecture · 46
- architectuur · 79
- assessment · 2, 118
- auditing · 2, 118
- delivery · 138
- deployment · 2, 6, 99, 105
- design · 2, 6, 59
- design pyramid · 59, 61, 62, 63, 129
- everything · 13, 135, 136, 137, 138
- improvement · 163
- integration · 2, 6, 93
- learning · 2, 6, 117, 163
- learning model · 15
- monitoring · 2, 6, 109
- monitoring layer model · 109, 112, 114, 133
- outcome · 13, 14, 16, 17, 25
- planning · 2, 45, 120
- security · 60
- security pyramid · 59, 81, 82, 83
- SLA · 2, 60
- testing · 2, 6, 85

 Continuous Acceptance · Zie CE CA
 Continuous AI · Zie CE CZ
 Continuous Architecture · Zie CE CH
 Continuous aSsessment · Zie CE CS
 Continuous Auditing · Zie CE CA
 Continuous Deployment · Zie CE CD
 Continuous designN · Zie CE CN
 Continuous dOcumentation · Zie CO
 Continuous Everything · Zie CE CE
 Continuous Integration · Zie CE CI
 Continuous Learning · Zie CL
 Continuous Monitoring · Zie CE CM
 Continuous Outcome · Zie CE CO
 Continuous Planning · Zie CE CP
 Continuous Security · Zie CE CY
 Continuous SLA · Zie CECQ
 Continuous Testing · Zie CE CT
 control · 138, 152, 160
 Conway's law · 152
 COO · 19
 CoP · 19, 166
 counter measure · 156

CP · 135
 CPU · 166
 CR · 166
 CRAMM · 166
 CRC · 166
 CT · 136
 CTO · 166
 Cucumber · 89, 90
 cultural debt · 152
 Culture, Automation, Measurement and Sharing · Zie CAMS
 cultuur · 125
 current state · 29, 70, 71
 cycle time · 136, 152
 Cyclic Redundancy Check · Zie CRC

D

data · 138
 datakwaliteit · 26
 debt · 152
 decision support tool · 68
 declarative programming · 152
 defect · 87, 88, 137, 157
 defect reductie · 88
 defect tracking · 153
 definitie · 2
 Definition of Done · Zie DoD
 Definition of Ready · Zie DoR
 Definitional Uncertainty · Zie DU
 Definitive Media Library · Zie DML
 dekkingsgraad · 16
 deliverable · 62, 82
 demand rate · 27, 70
 Demming wheel · 156
 deployment · 99, 100, 102, 103, 105, 107, 149
 deployment pipeline · 34, 151
 design · 39, 136, 152, 164
 Dev engineer · 1
 development · 136, 149, 150, 153, 155, 156, 158, 160, 162, 164

- model · 162
- ritual · 153
- team · 19

 Development & Operations · Zie DevOps
 Development Value System · Zie DVS
 Development, Test, Acceptance and Production · Zie DTAP
 DevOps · 15, 81, 135, 137, 138, 149, 151, 153, 159, 164, 166

- capabilities · 118
- engineer · 56, 149, 151, 152, 153, 160, 162
- lemniscaat · 1, 2, 3, 5, 6, 14, 16, 81, 96, 117, 135
- team · 1, 135, 138, 149, 150, 151, 152, 154, 158, 163

 DML · 166
 DMZ service · 34
 DNS · 166
 DNS service · 34

documentatie management · 33
 DoD · 40, 42, 79, 137, 155, 166
 doelstelling · 1
 Domain Name System · Zie DNS
 doorloopijd · 111
 Dor · 137, 166
 downward spiral · 153
 drempelwaarde · 107
 DTAP · 160, 166
 DTAP environments · 160
 DU · 166
 duurzaamheid · 21
 DVS · 1, 2, 5, 8, 9, 17, 18, 19, 37, 38, 42,
 44, 50, 53, 66, 68, 78, 79, 82, 83, 127,
 128, 130, 131, 132, 133, 166

E

E2E · 137, 166
 - infrastructure monitoring · 113
 - ping · 113
 eigenaarschap · 15, 18, 19
 elicitatie · 7
 e-mail pass around · 136, 153
 enable value stream · 79
 enabling value stream · 109
 End User eXperience Monitoring · Zie EUX
 End-to-End · Zie E2E
 energie gerichtheid · 125
 enterprise architectuur · 11
 enterprise architectuurmodel · 11
 Enterprise Resource Planning · Zie ERP
 Enterprise Service Buss · Zie ESB
 Entity Relation Diagram · Zie ERD
 epic · 12, 29, 54, 62, 63, 71, 79, 135, 137,
 166
 Epic Solution Approach · Zie ESA
 ERD · 31, 73, 166
 ERP · 31, 74, 166
 error path · 153
 ESA · 166
 ESB · 166
 E-shaped · 122, 124, 136, 154
 ETL · 33, 166
 EUX · 41, 113, 166
 event · 114, 136, 158
 event monitoring · 114
 evidence · 121
 eXtensible Markup Language · Zie XML
 extern geheugen verbruik · 115
 Extract Transform & Load · Zie ETL
 eXtreme Programming · Zie XP

F

faalfactor · 125
 failure · 150
 fast feedback · 87
 FAT · 40, 88, 129, 149, 166
 feature · 29, 62, 63, 71, 90, 136, 137,
 153, 154, 163, 164

Feature Solution Approach · Zie FSA
 feature toggle · 136, 153
 feedback · 88, 136, 137, 152, 153, 156,
 159, 163
 feedbackloop · 17
 feedbackmechanisme · 21, 26, 41
 feedforward · 153
 financiële gegevens · 31, 74
 first time right · 10, 27, 70
 five times why methode · 14
 flexibiliteit · 123
 flow · 136, 137, 152, 155, 157, 158, 159,
 160, 162, 163
 focus · 161
 fout · 87
 framework · 9, 33, 158
 FSA · 166
 FTPS · 31
 full release · 132
 functie · 1
 functioneel beheerder · 22, 40, 101
 Functionele AcceptatieTest · Zie FAT

G

GAT · 40, 129, 166
 Gaussian distribution · 149, 153
 GCC · 166
 GDPR · 166
 gebruiker · 113
 Gebruiker AcceptatieTest · Zie GAT
 gebruikers
 - interface · 39
 - organisatie · 1, 11
 - transactie · 113
 gedrag · 121, 123
 gedragsspecificatie · 89
 Gene Kim · 153, 158, 162
 General Computer Controls · Zie GCC
 General Data Protection Regulation · Zie
 GDPR
 Generieke & Specifieke Acceptatiecriteria ·
 Zie GSA
 gereedschap · 136
 gewenste situatie · 11
 Gherkin · 88, 89, 90, 91
 GIT · 43, 166
 Given When Then · 154, Zie GWT
 Global Information Tracker · Zie GIT
 goal · 10, 39, 40, 42, 50
 governance · 19
 Graphical User Interface · Zie GUI
 green build · 136
 green field · 154
 Green IT · 21
 GSA · 166
 GUI · 166
 guild · 19
 GWT · 63, 87, 88, 89, 90, 154, 166

H

handmatige testcase · 88
 Hand-off Readiness Review · Zie HRR
 happy flow · 37
 happy path · 149, 150, 154
 hardware · 152, 155, 163
 high performance model · 2, 25, 27, 117, 125
 holistisch · 117
 holocracy · 154
 horizontal splitting of feature · 154, 163
 HRM · 120, 166
 HRR · 136, 166
 huidige situatie · 11
 Human Resource Management · Zie HRM
 hypothesis driven development · 136

I

IaC · 149, 155, 166
 ICT · 155, 166
 ID · 166
 ideal test pyramid · 85, 87, 88, 130, 136, 162
 idempotent · 154
 IDentifier · Zie ID
 imparative programming · 154
 in-courcing · 120
 incremental release · 107
 Independent, Negotiable, Valuable, Estimatable, Small and Testable · Zie INVEST
 informatie
 - architectuur · 57
 - keten · 113
 - service · 30, 31, 33, 47, 57, 73, 74
 - systeem · 1, 5, 89, 90, 112, 113, 114
 Information assets, People, Organisation, Products and services, Systems and processes · Zie IPOS
 Information Communication Technology · Zie ICT
 information radiator · 155
 Information Security Management System · Zie ISMS
 Information Security Value System · Zie ISVS
 Information Standardisation Organisation · Zie ISO
 Information Technology · Zie IT
 Information Technology Infrastructure Library · Zie ITIL 4
 Information Technology Service Management · Zie ITSM
 Infosec · 155
 Infrastructure as Code · Zie IaC
 Infrastructure Risk · Zie IR
 infrastructuur · 100, 102, 106, 107
 - architectuur · 11, 57
 - component · 155

- landschapsplaat · 6
 - management · 155
 - monitortool · 34
 - service monitoring · 114
 integriteit · 80
 integriteitsregel · 31, 74
 integrity · 165
 intern geheugen · 115
 International Standard On Assurance Engagements · Zie ISAE
 interne service monitoring · 114
 INVEST · 154, 166
 IP address · 155
 IPOS · 166
 IR · 166
 I-shaped · 122, 136, 154
 ISMS · 166
 ISO · 166
 ISO 27001 · 9, 82
 IST · 156
 IST situatie · 11, 135
 ISVS · 1, 2, 5, 8, 9, 17, 18, 19, 37, 38, 42, 50, 53, 66, 68, 78, 79, 80, 81, 82, 127, 128, 130, 131, 132, 133, 166
 IT · 62, 153, 157, 162, 166
 ITIL · 66
 ITIL 4 · 167
 ITSM · 157, 167

J

Java Virtual Machine · Zie JVM
 JIC · 167
 Ji-Kotei-Kanketsu · Zie, Zie JKK
 JIT · 155, 156, 167
 JKK · 155, 167
 Just In Case · Zie JIC
 Just In Time · Zie JIT
 JVM · 167

K

Kaizen · 156, 157
 Kaizen Blitz (or Improvement Blitz) · 156
 Kaizen in advance · 156
 Kanban · 156, 157, 164
 kennisoverdracht · 14
 keten · 136
 Key Performance Indicator · Zie KPI
 kibana dashboard · 156
 klantenbinding · 21
 klantgegevens · 31, 74
 klanttevredenheid · 10, 50
 knelpuntenanalyse · 27, 70
 KPI · 111, 156, 157, 164, 167
 Kritieke Succes Factor · Zie KSF
 KSF · 111, 167
 kwaliteitcontrole · 130
 kwaliteitscriterium · 137
 kwaliteitsinitiatieven · 18
 kwaliteitsmedewerker · 1

L

lagenstructuur · 62, 82
 LAN · 113, 167
 Late feedback model · 87, 88, 89
 latent defect · 156
 Launch Readiness Review · Zie LRR
 launching guidance · 156
 LCM · 167
 LDAP · 167
 LDAP service · 33
 Lead Time · 68, 157, Zie LT
 Lean · 93, 99, 105, 162, 163
 - indicator · 8, 10, 19, 27, 29, 67, 68,
 69, 70, 74, 75, 111, 113
 - Six Sigma · 27, 70
 - testaanpak · 85
 - tool · 157
 learning culture · 157
 leesbaarheid · 17
 leverancier · 115
 lifecycle · 153, 155
 LifeCycle Management · Zie LCM
 Lightweight Directory Access Protocol · Zie
 LDAP
 limitation · 10
 Linux · 114
 Local Area Network · Zie LAN
 log · 136, 158
 Logbestand · 137
 logging level · 157
 loosely coupled architecture · 157
 loosely coupled services · 157
 LRR · 136, 156, 167
 LT · 10, 27, 70, 111, 113, 157, 167

M

Machine Learning · Zie ML
 machtsverhouding · 2, 15, 18, 19, 20, 22
 management · 138
 Management Information · Zie MI
 mandaat · 18
 manual architecture · 136
 manufacturing process · 164
 marker · 40, 42
 MASR · 167
 matruska · 66
 Mean Time Between Failure · Zie MTBF
 Mean Time Between System Incidents · Zie
 MTBSI
 Mean Time To Repair · Zie MTTR
 merge hell · 87
 merging · 136
 metadata · 150
 methodology · 138
 meting · 113
 metric · 136
 MFA · 167
 MI · 167
 microservice · 157

microservice architecture · 157
 Microsoft Operations Framework · Zie MOF
 migratiepad · 79
 mini pipeline · 157
 Minimal Viable Product · Zie MVP
 Minimum Required Information · Zie MRI
 ML · 167
 ML framework · 96
 Modify, Avoid, Share, Retain · Zie MASR
 Module Test · Zie MT
 MOF · 167
 monitorarchetype · 113
 monitoring · 158
 monitortool · 109
 monitorvoorziening · 109
 monolithic · 158
 MRI · 157, 167
 MT · 167
 MTBF · 167
 MTBSI · 167
 MTTR · 158, 167
 muda · 158
 Multi Factor Authentication · Zie MFA
 MVP · 167

N

NC · 167
 negatieve cultuur · 20, 121, 125
 netwerk · 113, 114
 netwerkbandbreedte · 115
 netwerkcommunicatie · 34
 NFR · 151, 158, 167
 Non Conformity · Zie NC
 Non Functional Requirement · Zie NFR
 non-ideal test pyramid · 88, 99, 105
 non-SQL database · 33

O

OAWOW · 167
 obeya · 158
 object code · 150
 OLA · 167
 One Agile Way of Working · Zie OAWOW
 one piece flow · 158
 ontwerp · 11
 Ontwikkel-, Test-, Acceptatie- en
 Productieomgeving · Zie OTAP
 ontwikkelenomgeving · 87, 88
 oorzaak · 14
 Operational Level Agreement · Zie OLA
 operations · 149, 153, 158, 160, 161, 163
 operations story · 158
 Ops engineer · 1
 Ops liaison · 158
 organisatievormgeving · 2
 organisation archetype · 158
 organisational typology model · 158
 OTAP · 167
 OTAP-straat · 102

outcome · 19, 45, 52, 53, 82, 90
 outsourcing · 120
 over-the-shoulder · 136, 159

P

PAAS · 167
 package · 159
 pair-programming · 136, 151, 159
 PAT · 42, 79, 88, 149, 167
 pattern · 99, 102, 103, 105, 107, 150, 159, 160

- Canary release · 102, 106
- Cluster immune system · 102, 106
- Container pattern · 102, 106
- dark launching · 103, 107
- feature flag · 103, 107, 132
- forward release · 103, 107
- full release · 103, 107, 132
- incremental · 103, 107, 132
- Blue / Green deployment · 102, 106

 PBI · 167
 PDCA · 156, 157, 167
 peer review · 159
 peer to peer programming · 151
 People, Process & Technology · Zie PPT
 performance · 39, 40, 42, 88, 117, 125, 151, 157, 163, 164, 167
 Performance StressTest · Zie PST
 performancecriterium · 39
 personalisatie · 33
 PESTLE · 167
 pipeline · 136, 137, 149, 155, 157, 160, 161, 164
 Plan Do Check Act · Zie PDCA
 planningsobject · 45
 Platform As A Service · Zie PAAS
 Political, Economic, Sociological, Technological, Legislative, Environmental · Zie PESTLE
 POR · 167
 Porter · 65, 66, 67
 portfolio management · 22, 23
 positief sentiment · 21
 positieve cultuur · 19
 post mortem · 159
 PPT · 25, 167
 PPT-aspect · 136
 pre-condition · 90
 probleem · 13, 14
 Processing Time · Zie PT
 product

- backlog · 29, 63, 70, 79, 135, 139, 154, 155, 159
- backlog item · 155
- owner · 1, 159
- roadmap · 40, 42, 54
- vision · 53, 54, 55, 56, 79, 128, 135

 product backlog · 29, 59, 60, 63, 69, 71, 77, 79
 Product Backlog Item · Zie PBI
 product owner · 63, 129

Productie AcceptatieTest · Zie PAT
 productieomgeving · 88
 productieproces · 10, 50
 production environment · 158
 programming paradigm · 159
 Project or Organisational Risk · Zie POR
 promoten · 102
 PSQL · 152
 PST · 88, 167
 PT · 10, 27, 70, 113, 167
 pull request process · 136, 159

Q

QA · 137, 159, 167
 QC · 167
 quality · 138
 Quality Assurance · Zie QA
 Quality Control · Zie QC

R

RACI · 19, 167
 RASCI · 19, 167
 RBAC · 167
 RBAC service · 33
 Real User Monitoring · Zie RUM
 recursie · 8, 9, 66
 recursiebeginsel · 8, 66
 reduce batch size · 159
 reduce number of handoffs · 159
 redundantie · 17
 regelgeving · 68
 regressietest · 87
 Reinforcement Learning · Zie RL
 release · 2, 6, 159, 160

- manager · 159
- pattern · 159
- plan · 135
- planning · 53, 54, 55

 repository · 136, 137, 150, 151, 159, 160
 REpresentational State Transfer Application Programming Interface · Zie REST API
 requirement · 11, 62, 88, 89, 90, 136, 150, 156, 158, 161, 167
 research · 1
 resource · 2, 16, 22
 resource monitoring · 115
 Responsibility, Accountable, Consulted and Informed · Zie RACI
 Responsibility, Accountable, Supporting, Consulted and Informed · Zie RASCI
 REST API · 114, 168
 resultaatgerichtheid · 117, 125
 retrospective · 153
 Return On Investment · Zie ROI
 review · 153
 risico · 17, 18, 21, 49, 54, 60, 77, 78, 79, 80, 81, 82, 83, 90, 110, 111, 113, 119, 133, 137, 150, 156, 189
 risico-analyse · 54

RL · 168
 roadmap · 12, 19, 40, 42, 46, 53, 54, 55, 57, 79, 100, 101, 121, 128, 131, 134, 135
 roadmap to value · 45, 55, 56, 57, 61, 63, 65
 Roadmap to Value · 53, 55, 100, 102, 106, 111
 robot · 113
 Robotic Process Automation · Zie RPA
 ROI · 69, 87, 120, 168
 rol · 37, 38
 Role-Based Access Control · Zie RBAC
 rollback technique · 136
 rootcause · 13
 rootcause analyse · 157
 RPA · 168
 RUM · 41, 113, 168

S

SA · 168
 sad path · 160
 SAFe · 168
 safety check · 160
 Sarbanes Oxley · Zie SoX
 SAT · 42, 88, 168
 SBAR · 160, 168
 SBB · 29, 30, 31, 32, 33, 39, 40, 42, 71, 72, 73, 74, 91, 136, 168
 SBB-A · 168
 SBB-A plaat · 31, 32
 SBB-I · 30, 31, 32, 33, 72, 73, 74, 91, 168
 SBB-I diagram · 30, 32, 73
 SBB-T · 30, 33, 72, 168
 Scaled Agile Framework · Zie SAFe
 scheduling · 114
 S-CI · 168
 scorekaart · 10, 50
 Scrum master · 1
 Secure Sockets Layer · Zie SSL
 security · 151, 152, 158, 160, 162
 Security Acceptatie Test · Zie SAT
 security officer · 152
 Security, Risk of Compliancy · Zie SRC
 self service capability · 160
 service · 167
 Service Level Agreement · Zie SLA
 service level manager · 40, 42, 77, 79, 80
 Service Value System · 1, 5, 8, 50, 65, 66, 68, 69, 72, Zie SVS
 shared goals · 160
 shift left organisatie · 87
 silo · 163
 Simian army · 136, 160, 162
 Simple Network Management Protocol · Zie SNMP
 SIP · 80
 SIT · 88, 168
 Situation, Background, Assessment, Recommendation · Zie SBAR
 skills · 154

SLA · 2, 21, 47, 48, 49, 54, 57, 59, 60, 61, 63, 69, 71, 77, 78, 79, 80, 106, 110, 111, 112, 113, 129, 137, 146, 168
 SLA control · 79
 SLA norm · 61, 80, 111, 112, 113
 SLA rapportage · 80
 SM · 168
 SMART · 17, 18, 56, 78, 79, 157, 168
 SMART goal · 56
 SME · 19, 168
 smoke testing · 160
 SNMP · 168
 SNMP GET protocol · 114
 SoA · 168
 SoE · 161, 168
 software · 89, 90, 138, 150, 162, 164
 Software Configuration Item · Zie S-CI
 software ontwikkelproces · 85, 138
 SoI · 161, 168
 SOLL · 156
 SOLL situatie · 11, 135
 SoR · 161, 168
 sourcecode · 21, 136, 150, 151, 153, 160, 162, 163
 SoX · 168
 Specific, Measurable, Accountable, Realistic, Timely · Zie SMART
 sprint · 54, 135, 153
 - execution · 153
 - planning · 153
 sprint planning · 53, 54, 55
 SQL · 168
 SRC · 168
 SRG · 136, 137, 168
 SSL · 168
 ST · 168
 stakeholder · 7, 12, 14, 54, 59, 62, 65, 109, 154
 standard deviation · 161
 standard operations · 161
 Standard Rules & Guidelines · Zie SRG
 stand-up · 153
 Statement of Applicability · Zie SoA
 static analysis · 161
 story · 29, 71
 storypoint · 54, 63
 Strategic IS Architecture · Zie SA
 Strategic Match · Zie SM
 strategie · 10, 11, 19, 45, 46, 50, 56, 78, 79, 117, 135
 strategieborging · 17
 strategiemonitor · 10, 50
 strategy · 138
 Strength, Weakness, Opportunities, Threats · Zie SWOT
 Structured Query Language · Zie SQL
 sturingsmechanisme · 80
 Subject Matter Expert · Zie SME
 super use case · 39
 SVS · 1, 2, 5, 8, 9, 17, 18, 19, 37, 38, 42, 44, 50, 53, 65, 66, 68, 75, 78, 79, 82, 83, 112, 127, 128, 130, 131, 132, 133, 168

SWOT · 6, 45, 47, 48, 49, 50, 52, 56, 71, 127, 168
 System Building Block · Zie SBB
 System Building Block Application · Zie SBB-A
 System Building Block Infrastructure · Zie SBB-I
 System Building Block Technology · Zie SBB-T
 System Integration Test · Zie SIT
 System of Engagement · Zie SoE
 System of Records · Zie SoR
 System Test · Zie ST
 Systems of Information · Zie SoI

T

taak · 149
 Taken, Verantwoordelijkheden en Bevoegdheden · Zie TVB
 talent · 15
 target · 60, 119
 Target Operating Model · Zie TOM
 task · 155
 TCO · 168
 TCP · 168
 TDD · 43, 87, 89, 130, 136, 162, 168
 Team Foundation Server · Zie TFS
 technical debt · 19, 20, 138, 152, 153
 technical debt backlog · 138
 Technical Information Security Officer · Zie TISO
 Technical Uncertainty · Zie TU
 technology adaption curve · 161
 technology executive · 161
 tegenmaatregel · 2, 54, 60, 83
 telemetry · 136
 template · 39, 41, 44, 135
 test · 90

- case · 87, 88, 89, 149, 150, 151
- harness · 162
- management · 136
- soort · 88

 Test Driven Development · Zie TDD
 testen · 87
 tester · 153
 TFS · 168
 The Agile Manifesto · 162
 the ideal testing automation pyramid · 162
 The Lean movement · 162
 the non-ideal testing automation inverted pyramid · 162
 The Three Ways · 158, 162, 163
 theme · 29, 62, 63, 71, 79, 137
 theory of constraints · 163
 Time To Market · Zie TTM
 TISO · 168
 TOM · 52, 82, 168
 tool-assisted code review · 136, 163
 Total Cost of Ownership · Zie TCO
 Toyota Kata · 163
 Toyota Production System · Zie TPS

TPS · 8, 68, 168
 traceability · 136
 traceerbaarheid · 136, 137
 transactie · 113
 transformation team · 163
 Transmission Control Protocol · Zie TCP
 trunk · 160
 T-shaped · 122, 123, 136, 154
 TSQL · 152
 TTM · 21, 43, 168
 TU · 168
 TVB · 168

U

UAT · 168
 UML · 169
 Unified Modeling Language · Zie UML
 Unit Test · Zie UT
 unittest · 87
 use case · 27, 29, 37, 38, 39, 41, 44, 58, 60, 61, 70, 85, 94, 119

- diagram · 3, 37, 38, 39, 120, 136
- scenario · 136
- template · 40, 42

 User Acceptance Test · Zie UAT
 User eXperience design · Zie UX design
 User Story · 62, 63
 userinterface · 31, 73
 UT · 169
 UX design · 136, 169
 UX designer · 42

V

validatie · 129
 value

- chain · 2, 7, 8, 9, 10, 13, 14, 15, 17, 20, 21, 25, 26, 40, 50, 59, 60, 64, 65, 66, 68, 69, 72, 75, 76, 79, 82, 117, 118, 119, 120, 121, 128, 130, 134, 135, 140
- stream · 1, 7, 8, 9, 10, 15, 16, 25, 27, 29, 37, 45, 56, 59, 65, 66, 68, 69, 70, 71, 76, 78, 80, 85, 93, 99, 105, 109, 111, 113, 117, 120, 135, 136, 137, 153, 157, 160, 161, 163
- stream canvas · 27, 59, 68, 69, 70, 75, 76, 78, 81, 128, 136
- stream mapping · 10
- stream monitoring · 113
- stream owner · 19

 value Stream Mapping · Zie VSM
 VCR · 169
 velocity · 150
 veranderparadigma · 2, 15, 16, 18, 20, 22, 25
 verantwoordelijkheid · 2, 15
 versiebeheer · 136
 vertical splitting of feature · 163
 vertrouwelijkheid · 80

Verwachte Contante ROI · Zie VCR
virtual machine · 33
virtualised environment · 163
visibility · 136
visie · 2, 10, 15, 16, 17, 50, 54, 56, 79, 135
visualisatie · 66, 68, 163
V-model · 54
Voice over Internet Protocol · Zie VOIP
VOIP · 169
volwassenheid · 117, 140
volwassenheidsmatrix · 117
volwassenheidsniveau · 138
voortbrengingsketen · 7, 66
VSM · 59, 68, 69, 72, 74, 75, 76, 78, 79, 80, 95, 97, 120, 128, 129, 136, 137, 157, 163, 169
vulnerability scan · 79

W

waardecreatie · 1, 2, 13, 18, 40, 42, 64, 65, 71
waardeketenactiviteit · 7, 65
walking skeleton · 163
WAN · 113, 169
war room · 158

waste · 10, 13, 14, 16, 19, 20, 56, 74, 85, 88, 93, 96, 99, 105, 111, 113, 123, 150, 152, 155, 157, 158, 162, 163, 164, 199
waste reductie · 17, 164
Way of Working · Zie WoW
webcontent management · 33
werkvoorraad · 45
Westrum · 124, 125, 158, 159
Wide Area Network · Zie WAN
Windows · 114
Windows Management Instrumentation · Zie WMI
WIP · 169
WMI · 169
Work In Progress · Zie WIP
workflow · 113, 152
WoW · 15, 169

X

XML · 169
XP · 169

Z

Zachman · 11
zoekfaciliteit · 33

Nwoord

Mijn ervaring is dat de denkbeelden die ik vastleg in een artikel of een boek zich blijven evolueren. In geval u met een bepaald onderwerp uit dit boek aan de slag gaat in uw eigen DevOps organisatie, dan raad ik u aan om even met mij contact op te nemen. Wellicht zijn er aanvullende artikelen of ervaringen op dit gebied die ik met u kan delen. Dit geldt ook omgekeerd evenredig. Als u bepaalde ervaringen hebt die een aanvulling zijn op hetgeen in dit boek is beschreven, dan nodig ik u uit om dit met mij te delen. U kunt mij bereiken via mijn e-mail adres bartb@dbmetrics.nl.

Over de auteur



Drs. Ing. B. de Best RI is vanaf 1985 werkzaam in de ICT. Hij heeft voornamelijk bij de top 100 van het Nederlandse bedrijfsleven en de overheid gewerkt. Hierbij heeft hij gedurende 12 jaar functies vervuld in alle fasen van de systeemontwikkeling, inclusief exploitatie en beheer. Daarna heeft hij zich toegelegd op het service management vakgebied. Momenteel vervult hij als consultant alle aspecten van de kennislevenscyclus van service management, zoals het schrijven en geven van trainingen aan ICT-managers en service managers, het adviseren van beheerorganisaties bij het richting geven aan de beheerorganisatie, de beheerinrichting, het verbeteren van beheerprocessen, het uitbesteden van (delen van) de beheerorganisatie en het reviewen en auditen van beheerorganisaties. Hij is op zowel HTS-niveau als Universitair niveau afgestudeerd op het beheervakgebied.

Andere boeken van deze auteur



Basiskennis IT

De eerste stap van een leven lang leren.

Het boek Basiskennis IT geeft een goede impressie wat dit vakgebied omvat. Zonder dat vele details worden besproken krijgt de lezer een uitleg van de meest essentiële begrippen en concepten van de IT. De doelgroep van dit boek zijn studenten, schoolverlaters en mensen die zich willen laten omscholen tot een beroep in de IT. Daartoe is het een heel nuttig middel als voorbereiding op IT trainingen.

De content bestaat uit het behandelen van IT begrippen uit vier perspectieven te weten het IT landschap, het ontwikkelen van software, het beheren van software en trends in de IT.

Hierbij worden tal van begrippen en concepten behandeld op het gebied van informatie, maatwerkprogrammatuur, systeemprogrammatuur, softwarepakketten, middleware, hardware, netwerk, processen, methoden en technieken. Op deze wijze kunt u snel uw weg vinden in de wereld van IT, het begin van een leven lang leren.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2021
ISBN (NL)	: 978 94 92618 573



SLA Best Practices


Het volledige ABC van service level agreements.

Het belangrijkste bij het leveren van een service is dat de klant tevreden is over de geleverde prestaties. Door deze tevredenheid verkrijgt de leverancier heraankopen, wordt hij gepromoot in de markt en is de continuïteit van het bedrijf geborgd.

Wellicht nog het belangrijkste aspect van deze klanttevredenheid voor een leverancier is dat de betrokken medewerkers een drive krijgen om hun eigen kennis en kunde verder te ontwikkelen om nog meer klanten tevreden te stellen. Dit boek beschrijft de best practices om erachter te komen wat de Prestatie-Indicatoren (PI's) zijn die gemeten moeten worden om de tevredenheid van de klant te borgen.

Het tweede deel beschrijft de documenten die van toepassing zijn om de afspraken in vast te leggen. Het opstellen, afspreken, bewaken en evalueren van serviceafspraken is een vak op zich. Het derde deel geeft de gereedschappen om hier adequaat invulling aan te geven. De werkzaamheden rond serviceafspraken herhalen zich in de tijd. Deel vier van dit boek beschrijft hoe deze werkzaamheden in een proces gevatt kunnen worden en hoe dit proces het beste in een organisatie kan worden vormgegeven. Tot slot geeft bespreekt dit boek een aantal raakvlakken van serviceafspraken en een tweetal artikelen met SLA best practices.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2011
ISBN (NL)	: 978 90 71501 456



Cloud SLA

De best practices van cloud service level agreements

Steeds meer organisaties kiezen voor het vervangen van de traditionele ICT-services door cloud services. Het opstellen van doelmatige SLA's voor traditionele ICT-services is voor veel organisaties een ware uitdaging. Met de komst van cloud services lijkt dit in eerste instantie veel eenvoudiger, maar al snel komen de moeilijke vragen aan bod zoals data eigenaarschap, informatie-koppelingen en beveiliging.

Dit boek beschrijft wat cloud services zijn. Daarbij wordt ingegaan op de risico's die organisaties lopen bij het aangaan van contracten en SLA's.

Op basis van een lange lijst van risico's en tegenmaatregelen geeft dit boek tevens aanbevelingen voor de opzet en inhoud van de diverse service level management documenten voor cloud services. Dit boek definieert eerst het begrip 'cloud' en beschrijft daarna diverse aspecten zoals cloud patronen en de rol van een cloud broker. De kern van het boek betreft het bespreken van de contractaspecten, service documenten, service designs, risico's, SLA's en cloud governance. Om de lezer gelijk aan de slag te kunnen laten gaan met cloud SLA's zijn in het boek tevens checklists opgenomen van de volgende documenten: Underpinning Contract (UC), Service Level Agreement (SLA), Dossier Financiële Afspraken (DFA), Dossier Afspraken en Procedures (DAP), External SpecSheets (ESS) en Internal Specsheets (ISS).

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2014
ISBN (NL)	: 978 90 7150 1739
ISBN (UK)	: 978 94 92618 009



SLA Templates

A complete set of SLA templates

The most important thing in providing a service is that the customer is satisfied with the delivered performance. With this satisfaction, the supplier gets re-purchasing's, promotions in the market and is the continuity of the company ensured. Perhaps the most important aspect of this customer satisfaction for a supplier is that the employees in question get a drive to further develop their own knowledge and skills to satisfy even more customers. This book describes the templates for Service Level Agreements in order to agree with the customer on the required service levels. This book gives both a template and an explanation for this template for all common service level management documents.

The following templates are included in this book:

- Service Level Agreement (SLA)
- Underpinning Contract (UC)
- Operational Level Agreement (OLA)
- Document Agreement and Procedures (DAP)
- Document Financial Agreements (DFA)
- Service Catalogue
- External Spec Sheet (ESS)
- Internal Spec Sheet (ISS)
- Service Quality Plan (SQP)
- Service Improvement Program (SIP)

Author	: Bart de Best
Publisher	: Leonon Media, 2017
ISBN (UK)	: 978 94 92618 030
ISBN (Pocket Guide)	: 978 94 92618 320



ICT Prestatie-indicatoren

De beheerorganisatie meetbaar gemaakt.

De laatste jaren is het maken van concrete afspraken over de ICT-serviceverlening steeds belangrijker geworden. Belangrijke oorzaken hiervoor zijn onder meer de stringenter wet- en regelgeving, de hogere eisen die gesteld worden vanuit regievoering over uitbestede services en de toegenomen complexiteit van informatiesystemen. Om op de gewenste servicenormen te kunnen sturen, is het belangrijk om een Performance Measurement System (PMS) te ontwikkelen. Daarmee kunnen niet alleen de te leveren ICT-services worden gemeten, maar tevens de benodigde ICT-organisatie om de ICT-services te verlenen.

Het meten van prestaties is alleen zinvol als bekend is wat de doelen zijn van de opdrachtgever. Daarom start dit boek met het beschrijven van de bestuurlijke behoefte van een organisatie en de wijze waarop deze vertaald kunnen worden naar een doeltreffend PMS. Het PMS is hierbij samengesteld uit een meetinstrument voor de vakgebieden service management, project management en human resource management. Voor elk van deze gebieden zijn tevens tal van prestatie-indicatoren benoemd. Hiermee vormt dit boek een onmisbaar instrument voor zowel ICT-managers, kwaliteitsmanagers, auditors, service managers, project managers, programma managers, proces managers, als human resource managers.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2011
ISBN (NL)	: 978 90 71501 470



Quality Control & Assurance

Kwaliteit op maat.

De business stelt steeds hogere eisen aan de ICT-services die ICT-organisaties leveren. Niet alleen nemen de eisen van de overheid toe in de vorm van wet- en regelgeving, ook de dynamiek van de markt wordt hoger en de levenscyclus van business producten korter. De reactie van veel ICT-organisaties hierop is het hanteren van kwaliteitsmodellen zoals COBIT, ITIL, TOGAF en dergelijke.

Helaas verzandt het toepassen van de best practices van deze modellen vaak omdat het model als doel wordt verklaard, hierdoor ontstaat veel overhead. Nut en noodzaak worden niet onderscheiden.

In het beste geval is de borging van kwaliteit een golfbeweging met pieken en dalen waarop maar weinig grip op te krijgen is. Dit boek bespreekt op welke wijze de keuze voor kwaliteit concreet en kwantitatief gemaakt kan worden alsmede hoe de kwaliteit in de ICT-organisatie verankerd kan worden. De voorgestelde aanpak omvat zowel Quality Control (opzet en bestaan) als Quality Assurance (werking) voor ICT-processen. Hierbij worden de eisen die aan de ICT-organisatie worden gesteld vertaald naar procesrequirements (opzet) en worden deze binnen ICT-processen geborgd (bestaan). Periodiek worden deze gemeten (werking). Door requirements te classificeren naar tijd, geld, risicobeheersing en volwassenheid kan het management een bewuste keuze maken voor de toepassing van requirements. Hierdoor wordt kwaliteit meetbaar en blijft de overhead beperkt. Dit boek is een onmisbaar instrument voor kwaliteitsmanagers, auditors, lijnmanagers en proces managers.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2012
ISBN (NL)	: 978 90 71501 531



Acceptatiecriteria

Naar een effectieve en efficiënte acceptatie van producten en services in de informatietechnologie.

Acceptatiecriteria zijn een meetinstrument voor zowel gebruikers als beheerders om te bepalen of nieuwe of gewijzigde informatiesystemen voldoen aan de afgesproken requirements ten aanzien van functionaliteit, kwaliteit en beheerbaarheid. Er komt heel wat bij kijken om acceptatiecriteria te verankeren in beheerprocessen en systeemontwikkelingsprojecten. Het opstellen en het hanteren van acceptatiecriteria voor ICT-producten en ICT-services geschieft bij veel organisaties met wisselend succes. Vaak worden acceptatiecriteria wel opgesteld, maar niet effectief gebruikt en verworden ze tot een noodzakelijk kwaad zonder kwaliteitsborgen de werking.

Dit boek geeft een analyse van de oorzaken van dit falen van de kwaliteitsbewaking. Als remedie worden drie stappenplannen geboden voor het afleiden, toepassen en invoeren van acceptatiecriteria. De doelgroep van dit boek omvat alle partijen die betrokken zijn bij de acceptatie van ICT-producten en ICT-services: de klanten, de leveranciers en de beheerders. Ook is er nog een doelgroep die niet accepteert, maar vaststelt of correct is geaccepteerd; hier toe behoren kwaliteitsmanagers en auditors die het boek als normenkader kunnen gebruiken. In dit boek is een aantal casussen opgenomen die diverse manieren laten zien voor het effectief en efficiënt omgaan met acceptatiecriteria.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2014
ISBN (NL)	: 978 90 71501 784



Beheren onder Architectuur

Het richting geven aan de inrichting van beheerorganisaties.

Veel organisaties zijn al jaren bezig met het vormgeven van de beheerorganisatie door vanaf de werkvlloer te kijken wat er fout gaat en op basis daarvan verbetervoorstellingen te formuleren. Hierbij wordt meestal gebruik gemaakt van beheermodellen, zoals ITIL, ASL en BiSL, omdat deze veel best practices bevatten. Deze bottom-up benadering werkt een lange tijd goed. De afstemming van de beheerorganisatie-inrichting op de behoeftte van de business is daarmee echter nog geen feit. Het wezenlijke verschil met een top-down benadering is dat er eerst een kader gesteld wordt dat richting geeft aan de inrichting van de beheerorganisatie.

Dit kader bestaat uit beleidsuitgangspunten, architectuurprincipes en -modellen. Deze richtinggevendheid is ook van toe passing op de projectorganisatie waarin de producten en services worden vormgegeven die beheerd moeten gaan worden. Het eerste deel van dit boek positioneert dit gedachtegoed binnen de wereld van de informatievoorzieningsarchitectuur. Het tweede deel beschrijft een stappenplan om invulling te geven aan dit gedachtegoed aan de hand van vele best practices en checklists. Het derde deel beschrijft hoe beheren onder architectuur in de organisatie kan worden ingebed. Tot slot geeft het vierde deel een negental casussen van organisaties die het aangereikte stappenplan al hebben toegepast.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2017
ISBN (NL)	: 978 90 71501 913



Agile Service Management met Scrum

Op weg naar een gezonde balans tussen de dynamiek van het ontwikkelen en de stabiliteit van het beheren van de informatievoorziening.

Het toepassen van Agile software development neemt een grote vlucht. De termen Scrum en Kanban zijn al ingeburgerd bij menig organisatie. Agile software development stelt andere eisen aan de invulling van beheer van programmatuur. Veel organisaties zijn dan ook bezig om zich over deze nieuwe uitdaging te buigen. Vooral de interactie tussen het Scrum-ontwikkelproces en het beheren van de programmatuur die het Scrum-ontwikkelproces heeft opgeleverd is hierbij een belangrijk aspectgebied. Dit boek bespreekt juist deze interactie.

Voorbeelden van onderwerpen die hierbij ter sprake komen zijn het service portfolio, SLA's en de afhandeling van incidenten en wijzigingsverzoeken. Dit boek definieert eerst de risicogebieden bij het invoeren van Scrum en Kanban. Daarna worden de diverse Agile begrippen en concepten besproken. De invulling van Agile service management is zowel op organisatieniveau als op procesniveau beschreven. Hierbij zijn per beheerproces de relevante risico's benoemd. Tevens is aangegeven hoe hier binnen de context van Scrum invulling aan gegeven kan worden.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2014 (NL), 2018 (UK)
ISBN (NL)	: 978 90 7150 1807
ISBN (UK)	: 978 94 92618 085



Agile Service Management met Scrum in de Praktijk

Op weg naar een gezonde balans tussen de dynamiek van het ontwikkelen en de stabiliteit van het beheren van de informatievoorziening.

Veel bedrijven zijn bezig om Agile softwareontwikkeling toe te gaan passen in de vorm van Scrum of Kanban of hebben het nieuwe ontwikkelproces al in gebruik genomen. Vroeg of laat komt dan de vraag hoe dit ontwikkelproces zich verhoudt tot de beheerprocessen. In het boek 'Agile Service Management met Scrum' is al naar deze interface gekeken en zijn een aantal risico's per beheerproces onderkend. Tevens zijn tegenmaatregelen gedefinieerd die genomen kunnen worden.

In een onderzoek bij tien organisaties zijn deze risico's voorgelegd en is gevraagd hoe zij met deze risico's zijn omgegaan. Tevens is onderzocht welke Agile aspecten worden toegepast en in het bijzonder die van Scrum of Kanban. Tot slot is door elke organisatie een volwassenheidsassessment uitgevoerd voor zowel het Agile ontwikkelproces als het change management proces. Dit boek is het rapport over het onderzoek naar de samenwerking van Agile software ontwikkeling en beheerprocessen in de praktijk. De doelgroep van dit boek omvat alle partijen die betrokken zijn bij de toepassing van Agile software ontwikkeling en die graag eens willen weten hoe collega's deze cruciale interface voor een succesvolle serviceverlening hebben vormgegeven. In dit boek is tevens van elke organisatie een korte beschrijving gegeven over de wijze waarop het Agile ontwikkelproces is vormgegeven.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2015 (NL), 2018 (UK)
ISBN (NL)	: 978 90 7150 1845
ISBN (UK)	: 978 94 92618 177



DevOps Best Practices

Best Practices for DevOps

In recent years, many organisations have experienced the benefits of using Agile approaches such as Scrum and Kanban. The software is delivered faster whilst quality increases and costs decrease. The fact that many organisations that applied the Agile approach did not take into account the traditional service management techniques, in terms of information management, application management and infrastructure management, is a major disadvantage. The solution to this problem has been found in the Dev (Development) Ops (Operations) approach. Both worlds are merged into one team, thus sharing the knowledge and skills. This book is about sharing knowledge on how DevOps teams work together.

For each aspect of the DevOps process best practices are given in 30 separate articles. The covered aspects are Plan, Code, Build, Test, Release, Deploy, Operate and Monitor. Each article starts with the definition of the specifically used terms and one or more concepts. The body of each article is kept simple, short, and easy to read.

Author	: Bart de Best
Publisher	: Leonon Media, 2017 (UK), 2018 (UK)
ISBN (UK)	: 978 94 92618 078
ISBN (Pocket Guide)	: 978 94 92618 306



DevOps Architectuur

DevOps Architectuur Best Practices

De wereld van systeemontwikkeling is in een snel tempo aan het veranderen. Daarbij worden Development (Dev) en Operations (Ops) steeds meer geïntegreerd zodat oplossingen sneller en kwalitatief beter aan de klant kunnen worden aangeboden. De vraag is hoe binnen deze nieuwe zienswijze van DevOps plaats is voor Agile architectuur. Dit boek geeft een antwoord op deze vraag door het geven van vele voorbeelden van architectuurprincipes- en modellen die richting geven aan de inrichting en de verrichting van een DevOps organisatie. In het hele boek wordt zo veel als mogelijk per paragraaf een toelichting gegeven op basis van een denkbeeldig bedrijf Assuritas.

Dit boek bestaat uit verschillende onderdelen hetgeen het boek modular maakt. Het hoeft dus niet van A to Z gelezen te worden. Na de korte schets van het casusbedrijf volgt de bespreking van de DevOps organisatie vanuit een architectuurperspectief. Daarna wordt de DevOps beheervoorziening besproken. Beide verhandelingen worden aan de hand van het casusbedrijf inzichtelijk gemaakt. Na de behandeling van de integratie van de Dev- en Ops-rollen volgen twee handige analysetools om de volwassenheid van DevOps te bepalen. Het boek sluit af met een casus waarin op basis van architectuurprincipes en -modellen de keuze voor een Agile documentatie wordt gemaakt. Dit werk over DevOps architectuur is een onmisbaar hulpmiddel bij de vormgeving en uitvoering van een DevOps serviceorganisatie.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2019
ISBN (NL)	: 978 94 92618 061
ISBN (UK)	: 978 90 71501 579

Continuous Everything boeken



Continuous Outcome


Een uitgave in de Continuous Everything reeks.

Om BizDevOps echt in te vullen moeten de werelden van business en DevOps hechter samenwerken. Dat kan alleen als zij dezelfde taal spreken. Continuous Outcome geeft hier invulling aan door de business value streams te beschouwen vanuit een Continuous Everything perspectief. Dit is gedaan door het DevOps Lemniscaat te gebruiken om de stappen van een business value stream te beschrijven. Natuurlijk zijn de business value streams uniek per organisatie, maar op een abstractieniveau zijn het ook value streams die ontwikkelen en beheren.

Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit het afbeelden van Continuous Everything best practices op de werkwijzen van de business.

Na de definitie van de Continuous Outcome value stream wordt voor elke use case uit die value stream gekeken welke Continuous Everything best practices toegepast kunnen worden en wat het belang is om hierin samen te werken. Met deze holistische benadering van Continuous Outcome is een optimale en integrale invulling mogelijk van BizDevOps.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2024
ISBN (NL)	: 978 94 91480 386
ISBN (UK)	: 978 94 91480 393



Continuous Architecture


Een uitgave in de Continuous Everything reeks.

Continuous Architecture richt zich op het borgen dat de organisatiestrategie wordt gerealiseerd door richting te geven aan de innovatie en beheer van de informatievoorziening die daartoe nodig is. Hierbij wordt een onderscheid gemaakt tussen System of Records (ketenapplicaties), System of Engagement (enkelvoudige applicaties) en System of Services (servicearchitectuur voor ontwikkeling en beheer)

Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de bespreking van de value streams voor de realisatie van de SOR, SOE en SOS systems.

Tevens bevat het voorbeeld architecture principes en modellen per Continuous Everything value stream. Met deze holistische benadering van Continuous Architecture is een optimale en integrale invulling mogelijk voor zowel de ontwikkeling als beheer van de informatievoorziening van de gehele organisatie die nodig is voor de realisatie van de organisatiestrategie.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2024
ISBN (NL)	: 978 94 91480 348
ISBN (UK)	: 978 94 91480 355




Continuous Planning

Een uitgave in de Continuous Everything reeks.

Continuous planning is een aanpak om grip te krijgen op veranderingen die aangebracht worden in de informatievoorziening teneinde de outcome verbetering van de bedrijfsprocessen te realiseren en daarmee de bedrijfsdoelen te behalen. De aanpak is gericht op meer niveaus waarbij voor elke niveau een Agile planningstechniek wordt aangereikt die de hoger liggende planning verfijnt. Op deze manier kan er zowel op strategisch, tactisch als operationeel niveau een planning worden gemaakt en wel op een Agile wijze die zo min mogelijk overhead en zoveel mogelijk waarde creëren. Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de bespreking van de planningstechnieken zoals de balanced scorecard, enterprise architectuur,

product vision, roadmap, epic one pager, product backlog management, release planning en sprint planning. Tevens wordt aangegeven hoe deze technieken aan elkaar zijn gerelateerd. Daarnaast geeft dit boek aan hoe continuous planning in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en -modellen. Met deze integrale Agile benadering van planning heeft u een krachtig gereedschap in handen om de strategie van uw organisatie planmatig op te pakken en daarmee uw bedrijfsdoelen te realiseren.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 504
ISBN (UK)	: 978 94 92618 726




Continuous Design

Een uitgave in de Continuous Everything reeks.

Continuous design is een aanpak die beoogt om DevOps teams vooraf kort na te laten denken over de contouren van het te realiseren informatiesysteem en tijdens het Agile project het design te laten groeien (emerging design). Hierdoor worden interface risico's voorkomen en wordt essentiële kennisoverdracht geborgd ter ondersteuning van beheer en het nakomen van wet- en regelgeving. Elementen die de continuïteit van een organisatie waarborgen. Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit het continuous design pyramid model waarin de volgende design views zijn gedefinieerd: business, solution, design, requirements, test en code view.

Het continuous design omvat de gehele lifecycle van het informatiesysteem. De eerste drie views worden ingevuld op basis van moderne ontwerptechnieken zoals de value stream mapping en use cases. De nadruk van het effectief toepassen van een continuous design ligt echter in de realisatie van het informatiesysteem en wel door het design te integreren in de Behaviour Driven Development en Test Driven Development alsmede in continuous documentation. Met deze Agile benadering van een design heeft u een krachtig gereedschap in handen om grip te krijgen op een Agile ontwikkelproject.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 481
ISBN (UK)	: 978 94 92618 702



Continuous SLA

Een uitgave in de Continuous Everything reeks.

Continuous SLA richt zich op het onderkennen van risico's die de outcome van bedrijfsprocessen (core value streams) kunnen schaden. Deze risico's ontstaan als gevolg van nieuwbouw en onderhoud van informatiesystemen middels Agile teams. Binnen het concept van Continuous SLA worden deze risico's vanuit verschillende perspectieven geanalyseerd en door het DevOps team voorzien van tegenmaatregelen ook wel SLA controls genoemd. Door deze SLA controls meetbaar te maken worden het geschikte planningsobjecten die op de productbacklog kunnen worden gezet.

Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de bespreking van technieken om risico's te

onderkennen en beheersen zoals het gebruik van Lean indicatoren, value stream mappingen informatie-, applicatie- en technische architectuursteen. Naast de core value streams worden hiertoe ook de enable value streams zoals beheer, informatiebeveiliging en ontwikkel value streams onderzocht op risico's die direct of indirect de outcome schaden. De onderkende SLA controls worden verankerd in de Agile way of working door de samenwerking tussen onder andere de product owner en service level manager uit te diepen. Met deze integrale aanpak van SLA controls wordt het mogelijk om grip te krijgen op kwaliteit in Agile projecten.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2023
ISBN (NL)	: 978 94 91480 263
ISBN (UK)	: 978 94 91480 256

Continuous Security

Een uitgave in de Continuous Everything reeks.


Continuous security is een aanpak die beoogt om organisatie continue in control te laten zijn vanuit drie perspectieven:

- Het business perspectief: Business value streams zijn in control voor de onderkende risico's door de effectiviteit van de ingezette controls continue te toetsen en evidence vast te leggen.
- Het development perspectief: Development value streams zijn in control door de non functionele requirements voor information security integraal mee te nemen in de ontwikkeling.
- Het operations perspectief: Operations value streams zijn in control voor de voortbrenging van de nieuwe en aangepaste ICT services door een adequate inrichting van de CI/CD secure pipeline waarin controls automatisch de non functionele requirements toetsen.

Dit boek is een publicatie in de Continuous Everything reeks. De content bestaat uit de bespreking van de toepassing van ISO 27001 aan de hand van drie sets van security practices te weten Governance, Risk en Quality. De practices zijn voorzien van een definitie en doelstelling. Daarnaast worden voorbeelden en best practices gegeven.

Het continuous security concept is ontworpen om gebruikt te worden in Agile Scrum (development) en DevOps (development & operations) omgevingen. Daartoe sluit het naadloos aan op gangbare Agile beheermodellen. Met deze Agile benadering van information security heeft u een krachtig gereedschap in handen om grip te krijgen op de compliancy van uw Agile systeemontwikkeling -en beheer.

Author	: Bart de Best
Publisher	: Leonon Media, 2022
ISBN (NL)	: 978 94 91480 171
ISBN (UK)	: 978 94 91480 188



Continuous Acceptance


Een uitgave in de Continuous Everything reeks.

Continuous Acceptance richt zich op het accepteren van nieuwe en aangepaste producten en services die in een Agile omgeving zijn voortgebracht.

In deze CE value stream worden de specifieke acceptatiecriteria ontleend aan de business value streams door op zoek te gaan naar de risico's dat de doelen van de business niet gehaald worden. De tegenmaatregelen van deze risico's worden met acceptatietesten getoetst op effectiviteit. In analogie hierop worden de generieke acceptatiecriteria afgeleid uit de CE value streams die invulling geven aan het DevOps Lemniscaat.

Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de bespreking van de afleiding van acceptatiecriteria. Tevens wordt een voorbeeld uitwerking gegeven voor specifieke acceptatiecriteria en wordt er een aantal generieke acceptatiecriteria gegeven voor de volgende value streams: Continuous Planning, Continuous Design, Continuous Testing, Continuous Integration, Continuous AI, Continuous Deployment, Continuous Monitoring, Continuous Learning, Continuous Security, Continuous Auditing, Continuous SLA en Continuous Assessment. Hiermee heeft u een gereedschap in handen om grip te krijgen op de acceptatie van applicaties en services.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2023
ISBN (NL)	: 978 94 91480 317
ISBN (UK)	: 978 94 91480 324




Continuous Testing

Een uitgave in de Continuous Everything reeks.

Continuous testing is een aanpak die beoogt om een fast feedback te geven in het software ontwikkelproces door de 'wat'- en 'hoe'-vragen te definiëren als testcases voordat gestart wordt met de bouw van de oplossing. Hierdoor worden de concepten requirements, testcases en acceptatiecriteria geïntegreerd in één aanpak. Het begrip 'continuous' verwijst naar het toepassen van test management in alle fasen van de deployment pipeline, dus van requirements tot en met het in productie nemen. Tevens omvat het begrip 'continuous' de aspecten People, Process en Technology. Daarmee wordt test management dus holistisch. Dit boek is een publicatie in de continuous everything reeks.

De content bestaat uit het behandelen van continuous testing aan de hand van een definitie, business case, architectuur, ontwerp en best practices. Begrippen die hierbij worden besproken zijn: het veranderparadigma, de ideal test pyramid, test meta data, Behaviour Driven Development, Test Driven Development, test policies, test technieken, test tools en de rol van unit testcases in continuous testing. Op deze wijze bent u snel weer up-to-date op het gebied van de DevOps ontwikkelingen en op het gebied van continuous testing.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 450
ISBN (UK)	: 978 94 92618 672



Continuous Integration

Een uitgave in de Continuous Everything reeks.

Continuous integration is een holistische Lean software ontwikkel-aanpak die beoogt om op een incrementale en iteratieve wijze continu software te produceren en in productie te nemen waarbij waste reductie hoog in het vaandel staat.

Het woord 'holistisch' verwijst naar de PPT-begrippen: People (multiple expert), Process (kennis van bedrijfs- en beheerprocessen) en Technology (applicatie en infrastructuur programmeren). Door de incrementale en iteratieve werkwijze wordt fast feedback mogelijk doordat functionaliteiten eerder in productie kunnen worden genomen. Hierdoor wordt waste gereduceerd omdat gebreken eerder worden gevonden en sneller kunnen

worden hersteld. Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit het behandelen van continuous integration aan de hand van een definitie, business case, architectuur, ontwerp en best practices. Begrippen die hierbij worden besproken zijn het veranderparadigma, het toepassen van continuous integration, gebruik repositories, code kwaliteit, green code, green build, refactoring, security based development en built-in failure mode. Op deze wijze bent u snel weer up-to-date op het gebied van de DevOps ontwikkelingen met betrekking tot continuous integration.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 467
ISBN (UK)	: 978 94 92618 689

Continuous AI


Een uitgave in de Continuous Everything reeks.

Continuous AI richt zich op het verhogen van de outcome van CE-aspectgebieden zoals de value streams Continuous Testing en Continuous Integration.

Van deze value streams worden de bottlenecks gelokaliseerd in de vorm van limitations (performance) en boundaries (functionaliteit). Deze bottlenecks kunnen middels AI-toepassingsgebieden verkleind of verwijderd worden zoals door de inzet van Machine Learning (ML) en Natural Language Processing (NLP). Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de bespreking van AI-toepassingsgebieden voor alle gepubliceerde CE-aspectgebieden.

Per stap uit elke value stream wordt aangegeven wat nu of in de toekomst de mogelijkheden zijn van AI. De betrokken value streams zijn: Continuous Planning, Continuous Design, Continuous Testing, Continuous Integration, Continuous Deployment, Continuous Monitoring, Continuous Learning, Continuous Security, Continuous Auditing, Continuous SLA en Continuous Assessment. Hiermee heeft u een gereedschap in handen om AI op een gestructureerde en effectieve manier in uw organisatie toe te passen.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2023
ISBN (NL)	: 978 94 91480 294
ISBN (UK)	: 978 94 91480 300



Continuous Deployment


Een uitgave in de Continuous Everything reeks.

Continuous deployment is een holistische Lean production aanpak die beoogt om op een incrementale en iteratieve wijze continu software te deployen en te releases waarbij time to market en hoogwaardige kwaliteit hoog in het vaandel staan.

Het woord 'holistisch' verwijst naar de PPT-begrippen: People (multiple expert), Process (kennis van bedrijfs- en beheerprocessen) en Technology (applicatie en infrastructuur programmeren). Door de incrementale en iteratieve deployments wordt fast feedback mogelijk omdat fouten eerder in productie van de CI/CD secure pipeline worden waargenomen. Hierdoor zijn herstelacties sneller en goedkoper hetgeen leidt tot een waste reductie.

Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit het behandelen van continuous deployment aan de hand van een definitie, business case, architectuur, ontwerp en best practices. Begrippen die hierbij worden besproken zijn het veranderparadigma, het toepassen van continuous deployment, een stappenplan voor het planmatig inregelen van continuous deployment en vele patterns om deployments te laten plaatsvinden. Op deze wijze bent u snel weer up-to-date op het gebied van de DevOps ontwikkelingen op het gebied van continuous deployment.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 511
ISBN (UK)	: 978 94 92618 733



Continuous Monitoring

Een uitgave in de Continuous Everything reeks.

Continuous monitoring is een aanpak om grip te krijgen op zowel core value streams (business processen) als enable value streams die deze core value streams ondersteunen. Continuous monitoring onderscheidt zich van de klassieke monitoring door de focus op de outcome verbetering en de holistisch scope waarmee value streams worden gemeten te weten de gehele CI/CD secure pipeline voor alle drie de perspectieven van PPT: People, Process en Technology.

De aanpak omvat people, process en technology, hetgeen het mogelijk maakt om de bottlenecks in uw value streams in kaart te brengen en te elimineren of te mitigeren.

Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de bespreking van de monitorfuncties die zijn gedefinieerd in het continuous monitoring lagenmodel. Dit lagenmodel classificeert de op de markt beschikbare monitortools. Elk monitor archetype wordt in dit boek gedefinieerd qua definitie, doelstelling, meetattributen, requirements, voorbeelden en best practices. Tevens geeft dit boek aan hoe continuous monitoring in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en -modellen. Met deze integrale Agile benadering van monitoring heeft u een krachtig gereedschap in handen om de controls in te regelen voor de besturing van uw value streams.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 498
ISBN (UK)	: 978 94 92618 719



Continuous Learning

Een uitgave in de Continuous Everything reeks.

Continuous learning is een aanpak om grip te krijgen op de competenties die nodig zijn om de strategie van uw organisatie te realiseren.

Continuous learning biedt Human Resource Management hier toe een aanpak die stap voor stap de organisatiebehoeften competenties verkent en deze behoeften omzet in competentieprofielen. Een competentieprofiel is hierbij gedefinieerd als de set van kennis, kunde en gedrag op een bepaald Bloom level die een bepaald resultaat oplevert. Competentieprofielen worden vervolgens samengevoegd in rollen die op hun beurt functies vormen.

Op deze wijze wordt een Agile functiehuis verkregen. Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de bespreking van het continuous learning model dat u helpt om stap voor stap een value chain strategie naar een persoonlijke roadmaps voor medewerkers te vertalen. Tevens geeft dit boek aan hoe continuous learning in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en - modellen. Met deze Agile benadering van HRM heeft u een krachtig gereedschap in handen om de competenties op het gewenste niveau van uw organisatie te krijgen.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 528
ISBN (UK)	: 978 94 92618 740



Continuous Assessment

Een uitgave in de Continuous Everything reeks.

Continuous assessment is een aanpak die beoogt om DevOps teams zich op een continue wijze zich te laten ontwikkelen qua kennis en kunde op het gebied van business, development, operations en security.

Dit boek geeft een hulpmiddel om de DevOps teams bewust te maken waar zij staan qua ontwikkeling en welke eerstvolgende stappen zij kunnen zetten om zich te ontwikkelen. Dit boek is een publicatie in de continuous everything reeks. De content bestaat uit de business case voor continuous assessment, de architectuur van de twee assessment modellen en de assessment vragenlijsten.

Het DevOps Cube model is gebaseerd op het idee dat DevOps vanuit zes verschillende perspectieven van een kubus kunnen worden bekeken te weten: 'Flow', 'Feedback', 'continuous learning', 'Governance', 'Pipeline' en 'QA'. Het DevOps CE model is gebaseerd op de continuous everything perspectieven te weten: 'continuous integration', 'continuous deployment', 'continuous testing', 'continuous monitoring', 'continuous documentation' en 'continuous learning'. Dit boek is een uitstekende spiegel voor ieder DevOps team dat snel een compleet beeld wil vormen van op te pakken DevOps best practices.

Auteur	: Bart de Best
Uitgever	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 474
ISBN (UK)	: 978 94 92618 696



Continuous Auditing

Een uitgave in de Continuous Everything reeks.

Continuous auditing is een aanpak die beoogt om DevOps teams in staat te stellen kort cyclisch aan te tonen in control te zijn bij het in hoog tempo realiseren, in productie nemen en beheren van de nieuwe of aangepaste producten en services.

Hierdoor worden compliancy risico's voorkomen door al vanuit de requirements en het daarop gebaseerde design na te denken over welke risico's te mitigeren of te elimineren. Dit boek is een publicatie in de continuous everything reeks.

De content bestaat uit de bespreking van de continuous auditing pyramid model die de zes stappen beschrijft om continuous auditing invulling te geven te weten: scope bepalen, doelen bepalen, risico's identificeren, controls realiseren, monitorvoorziening inrichten en effectiviteit controls aantonen. Het continuous auditing concept omvat hiermee de gehele lifecycle van de risicobeheersing. Hierdoor zijn de risico's continu in control. Met deze Agile benadering van auditing heeft u een krachtig gereedschap in handen om grip te krijgen op de compliancy van uw Agile systeemontwikkeling -en beheer.

Author	: Bart de Best
Publisher	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 542
ISBN (UK)	: 978 94 92618 818



Continuous Development

Een uitgave in de Continuous Everything reeks.

Continuous Everything is de verzamelnaam van alle Continuous ontwikkelingen die er momenteel gaande zijn in de DevOps wereld. Door deze onder één noemer te laten vallen kan er structuur worden aangebracht aan de individuele ontwikkelingen en kunnen op basis van patterns best practices worden gedefinieerd.

Het begrip 'Continuous' omvat de termen: outcome driven development, incrementeel & iteratief werken, waste reductie door een Lean aanpak, holistisch werken door people, process, partner & technology in de scope mee te nemen en continue aandacht te geven aan een op te leveren product of service in de hele levenscyclus vanuit een end-to-end benadering.

Dit boek is een bundeling van vier Continuous Everything boeken te weten: Continuous Planning, Continuous Design, Continuous Testing en Continuous Integration. Voor elk Continuous Everything aspectgebied wordt aangegeven hoe deze in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en -modellen. Tevens worden per aspectgebied de best practices besproken. Met dit boek in de hand heeft u een krachtig gereedschap om u verder te bekwaam op het gebied van DevOps.

Author	: Bart de Best
Publisher	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 641
ISBN (UK)	: 978 94 92618 764



Continuous Operations


Een uitgave in de Continuous Everything reeks.

Continuous Everything is de verzamelnaam van alle Continuous ontwikkelingen die er momenteel gaande zijn in de DevOps wereld. Door deze onder één noemer te laten vallen kan er structuur worden aangebracht aan de individuele ontwikkelingen en kunnen op basis van patterns best practices worden gedefinieerd.

Het begrip 'Continuous' omvat de termen: outcome driven development, incrementeel & iteratief werken, waste reductie door een Lean aanpak, holistisch werken door people, process, partner & technology in de scope mee te nemen en continue aandacht te geven aan een op te leveren product of service in de hele levenscyclus vanuit een end-to-end benadering.

Dit boek is een bundeling van vier Continuous Everything boeken te weten: Continuous Deployment, Continuous Monitoring, Continuous Learning en Continuous Assessment. Voor elk Continuous Everything aspectgebied wordt aangegeven hoe deze in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en -modellen. Tevens worden per aspectgebied de best practices besproken. Met dit boek in de hand heeft u een krachtig gereedschap om u verder te bekwaam op het gebied van DevOps.

Author	: Bart de Best
Publisher	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 658
ISBN (UK)	: 978 94 92618 771



Continuous Control


Een uitgave in de Continuous Everything reeks.

Continuous Everything is de verzamelnaam van alle Continuous ontwikkelingen die er momenteel gaande zijn in de DevOps wereld. Door deze onder één noemer te laten vallen kan er structuur worden aangebracht aan de individuele ontwikkelingen en kunnen op basis van patterns best practices worden gedefinieerd.

Het begrip 'Continuous' omvat de termen: outcome driven development, incrementeel & iteratief werken, waste reductie door een Lean aanpak, holistisch werken door people, process, partner & technology in de scope mee te nemen en continue aandacht geven aan een op te leveren product of service in de hele levenscyclus vanuit een end-to-end benadering.

Dit boek is een bundeling van drie Continuous Everything boeken te weten: Continuous Assessment, Continuous Security en Continuous Audit. Voor elk Continuous Everything aspectgebied wordt aangegeven hoe deze in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en -modellen. Tevens worden per aspectgebied de best practices besproken. Met dit boek in de hand heeft u een krachtig gereedschap om u verder te bekwaam op het gebied van DevOps.

Author	: Bart de Best
Publisher	: Leonon Media, 2022
ISBN (NL)	: 978 94 91480 195
ISBN (UK)	: 978 94 91480 201



Continuous Business

Een uitgave in de Continuous Everything reeks.

Continuous Everything is de verzamelnaam van alle continuous ontwikkelingen die er momenteel gaande zijn in de DevOps wereld. Door deze onder één noemer te laten vallen kan er structuur worden aangebracht aan de individuele ontwikkelingen en kunnen op basis van patterns best practices worden gedefinieerd.

Het begrip 'Continuous' omvat de termen: outcome driven development, incrementeel & iteratief werken, waste reductie door een Lean aanpak, holistisch werken door people, process, partner & technology in de scope mee te nemen en continue aandacht geven aan een op te leveren product of service in de hele levenscyclus vanuit een end-to-end benadering.

Dit boek is een bundeling van vier Continuous Everything boeken te weten: Continuous Architecture, Continuous AI, Continuous Acceptance en Continuous Outcome. Voor elk Continuous Everything aspectgebied wordt aangegeven hoe deze in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en -modellen. Tevens worden per aspectgebied de best practices besproken. Met dit boek in de hand heeft u een krachtig gereedschap om u verder te bekwaam op het gebied van BizDevOps.

Author	: Bart de Best
Publisher	: Leonon Media, 2024
ISBN (NL)	: 978 94 91480 362
ISBN (UK)	: 978 94 91480 379



Continuous Everything

Een uitgave in de Continuous Everything reeks.


Continuous Everything is de verzamelnaam van alle Continuous ontwikkelingen die er momenteel gaande zijn in de DevOps wereld. Door deze onder één noemer te laten vallen kan er structuur worden aangebracht aan de individuele ontwikkelingen en kunnen op basis van patterns best practices worden gedefinieerd.

Het begrip 'Continuous' omvat de termen: outcome driven development, incrementeel & iteratief werken, waste reductie door een Lean aanpak, holistisch werken door people, process, partner & technology in de scope mee te nemen en continue aandacht te geven aan een op te leveren product of service in de hele levens-

cyclus vanuit een end-to-end benadering.

Dit boek is een bundeling van acht Continuous Everything boeken te weten: Continuous Planning, Continuous Design, Continuous Testing, Continuous Integration, Continuous Deployment, Continuous Monitoring, Continuous Learning en Continuous Assessment. Voor elk Continuous Everything aspectgebied wordt aangegeven hoe deze in te richten in uw organisatie op basis van het paradigma van de verandermanager en architectuurprincipes en -modellen. Tevens worden per aspectgebied de best practices besproken. Met dit boek in de hand heeft u een krachtig gereedschap om u verder te bekwaam op het gebied van DevOps.

Author	: Bart de Best
Publisher	: Leonon Media, 2022
ISBN (NL)	: 978 94 92618 597
ISBN (UK)	: 978 94 92618 665



Continuous Everything een introductie


Een uitgave in de Continuous Everything reeks.

Continuous Everything is de verzamelnaam van alle Continuous ontwikkelingen die er momenteel gaande zijn in de DevOps wereld. Door deze onder één noemer te laten vallen kan er structuur worden aangebracht aan de individuele ontwikkelingen en kunnen op basis van patterns best practices worden gedefinieerd.

Het begrip 'Continuous' omvat de termen: outcome driven development, incrementeel & iteratief werken, waste reductie door een Lean aanpak, holistisch werken door people, process, partner & technology in de scope mee te nemen en continue aandacht te geven aan een op te leveren product of service in de hele levenscyclus vanuit een end-to-end benadering.

Dit boek is een introductie van Continuous Everything aspecten te weten: Continuous Planning, Continuous Design, Continuous Testing, Continuous Integration, Continuous Deployment, Continuous Monitoring en Continuous Learning. Voor elk Continuous Everything aspectgebied wordt behandeld wat de basisconcepten zijn, wat de definitie is, wat de op te lossen problemen zijn en worden de belangrijkste modellen besproken. Met dit boek in de hand heeft u goed overzicht wat Continuous Everything inhoudt.

Author	: Bart de Best
Publisher	: Leonon Media, 2023
ISBN (NL)	: 978 94 91480 270



DevOps Poster

DevOps Professional Exam Poster




This poster lists all the DevOps terms that a student must learn in order to pass the exam of DevOps Professional of Exin. This poster can be ordered at info@leonon.nl.

The subjects on the poster are based on the basic training material of Exin. Since there are many terms to be learned, this poster will help to learn them by reviewing them all at once daily.

Author	: Bart de Best
Publisher	: Leonon Media, 2018
Ordering	: info@leonon.nl

CONTINUOUS OUTCOME

Een publicatie in de **Continuous Everything** reeks



BART DE BEST

